VOLUME 49 • AUTHOR INDEX

Abbott CA *see* Shackel NA *et al*
Abe Y *see* Koike T *et al*
Abrahamsen J *see* Henriksen JH *et al*
Abreu-Martin MT *see* Fleshner PR *et al*
Adang RP *see* Janssen HLA *et al*
Ahlstedt I *see* Quiding-Järbrink M *et al*
see Quiding-Järbrink M *et al*
Ahmad T *see* McGovern DPB *et al*
Ahn BO *see* Oh TY *et al*
Aimo G *see* Guidetti CS *et al*
Akamatsu T *see* Hidaka E *et al*
Ala-Korpela M *see* Changani KK *et al*
Albano E *see* Rolla R *et al*
Alderson D *see* Blazeby JM *et al*
Alexander GJM *see* Walsh KM *et al*
Al-Jiffry BO *see* Meedeniya ACB *et al*
Allidina Y *see* Wong F *et al*
Anagnostopoulos I *see* Grötzinger C *et al*
Andresen L *see* Perner A *et al*
Arce L *see* Simanowski UA *et al*
Armitage NC *see* Lund JN *et al*
Arrese M, Karpen SJ. New horizons in the regulation of bile acid and lipid homeostasis: critical role of the nuclear receptor FXR as an intracellular bile acid sensor: *review*, **465**
Arthur MJP *see* Vincent KJ *et al*
see Williams EJ *et al*
Atherton JC *see* Kidd M *et al*
Aubert J-P *see* Buisine M-P *et al*
Austin A. Measurement of tumour necrosis factor α: *letter*, **454**
Avidan B *et al*. Temporal associations between coughing or wheezing and acid reflux in asthmatics, **767**
Axon ATR *see* Dixon MF *et al*
Azuma T *et al*. Gastric leptin and *Helicobacter pylori* infection, **324**

Bai JC *see* Smecuol E *et al*
Bajaj-Elliott M *see* Salvati VM *et al*
Barbara G *see* de Giorgio R *et al*
Barmada MM *see* Parkes M *et al*
Barr H *see* Warburton-Timms VJ *et al*
Barrett S *et al*. The natural course of hepatitis C virus infection after 22 years in a unique homogenous cohort: spontaneous viral clearance and chronic HCV infection, **423**
Bassendine M *see* Newton J *et al*
Batey R *see* O'Loughlin EV *et al*
Baury B *see* Masson D *et al*
Beck PL *see* Burak KW *et al*
Becker U *see* Henriksen JH *et al*
Beglinger C *see* Hildebrand P *et al*
Belaiche J *see* Louis E *et al*
Bell AL *see* Travis SPL *et al*
Bell GD, Burn K. Measurement of the stiffness of endoscopes—a plea for commonality: *letter*, **154**
Bell H *see* Distante S and Bell H
Bell JD *see* Changani KK *et al*
Bellas C *see* Montalban C *et al*
Bellomo G *see* Rolla R *et al*
Beltinger J *see* Hildebrand P *et al*
Ben-Ari Z, Czaja AJ. Autoimmune hepatitis and its variant syndromes: *review*, **589**
Benyon RC *see* Williams EJ *et al*
Bergkvist L *see* Terry P *et al*
Bernard O *see* Lykavieris P *et al*
Berry E *see* Kelly S *et al*
Besser GM *see* Veysey MJ *et al*
Bhakoo K *see* Changani KK *et al*
Bilder CR *see* Sterin-Borda L *et al*
Bjarnason I *see* Tibble J *et al*
Björk J *see* Vasen HFA *et al*
Blanchardie P *see* Masson D *et al*
Blaschke V *see* Middel P *et al*
Blazeby JM *et al*. The prognostic value of quality of life scores during treatment for oesophageal cancer, **227**
Blendis L *see* Wong F *et al*
see Wong F *et al*
Blennerhassett P *see* de Giorgio R *et al*
Bloor S *see* Walsh KM *et al*
Bo X *et al*. Tumour necrosis factor α impairs function of liver derived T lymphocytes and natural killer cells in patients with primary sclerosing cholangitis, **131**
Boberg KM *see* Mitchell SA *et al*
Böcker U *see* Hanck C *et al*
Boixeda D *see* Montalban C *et al*
Book reviews Adam A, Mason R, Owen W, *editors*. Practical Management of Oesophageal Disease, **598**
Bayless TM, Hanauer SB, *editors*. Advanced Therapy of Inflammatory Bowel Disease, **741**
Blum RH, Heinrichs WL, Herxheimer A. Nausea and Vomiting. Overview, Challenges, Practical Treatments and New Perspectives, **314**
Gordon T, Cameron JL, *editors*. Evidence-Based Surgery, **740**
Heatley RV. The *Helicobacter pylori* Handbook, **457**
Heatley V, Moncur P, *editors*. Dyspepsia: The Clinical Consequences, **314**
Holschneider AM , Puri P, *editors*. Hirschsprung's Disease and Allied Disorders, 2nd Edn, **741**
Kanel GC, Korula J. Liver Biopsy Evaluation. Histological Diagnosis and Clinical Correlations, **875**
Keighley MRB, Williams NS, *editors*. Surgery of the Anus, Rectum, and Colon, **598**
Kennedy A, Robinson A. What should I do? Ulcerative Colitis Health Management Guide, **456**
Marsh MN, *editor*. Celiac Disease. Methods and Protocols, **599**
Petry F, *editor*. Cryptosporidiosis and Microsporidiosis, **457**
Rampton DS, Shanahan F. Inflammatory Bowel Disease, **315**
Ratnaike RN, *editor*. Small Bowel Disorders, **457**
Sanderson IR, Walker WA, *editors*. Development of the Gastrointestinal Tract, **456**
Scheuer PJ, Lefkowitch JH. Liver Biopsy Interpretation, **741**
Scholefield JH, *editor*. Challenges in Colorectal Cancer, **598**
Takubo K. Pathology of the Esophagus, **456**
Taylor TV, Watson A, Williamson RCN, *editors*. Review on Upper Digestive Surgery—Oesophagus, Stomach and Small Intestine, **875**
Tytgat GNJ, Classen M, Waye JD, *et al*, *editors*. Practice of Therapeutic Endoscopy, **315**
World Health Organisation. Management of the Child with a Serious Infection or Severe Malnutrition. Guidelines for Care at the First-Referral Level in Developing Countries, **741**
Booth JCL *et al*. Clinical guidelines on the management of hepatitis C, **1**
Borda E *see* Sterin-Borda L *et al*
Bosch FX *see* Simanowski UA *et al*
Bouvet E *see* Fabre A *et al*
Bradburn M *see* Valori RM *et al*
Brandes J-W *see* Kruis W *et al*
Breumelhof R *see* Wolf C *et al*
Brookes ST *see* Blazeby JM *et al*
Broome U *see* Bo X *et al*
Brown CM *see* Valori RM *et al*
Brown JC *see* Latham P *et al*
Bruneel F *see* Fabre A *et al*
Buchler MW *see* Wildi S *et al*
Buchler MW. Gastrointestinal fistulae: *leader*, **1**
Buisine M-P *et al*. Mucin gene expression in intestinal epithelial cells in Crohn's disease, **544**
Bullimore D. ERCP training: *letter*, **597**
Bulow C *see* Vasen HFA *et al*
Bulow S *see* Vasen HFA *et al*
Burak KW *et al*. Portal hypertensive gastropathy and gastric antral vascular ectasia (GAVE) syndrome: *review*, **866**
Burn K *see* Bell GD and Burn K
Burroughs AK *see* Vlachogiannakos J *et al*
Buskens E *see* Vasen HFA *et al*
Bytzer P *et al*. Low socioeconomic class is a risk factor for upper and lower gastrointestinal symptoms: a population based study in 15 000 Australian adults, **66**

Calam J *see* Hildebrand P *et al*
Campbell SJ *see* Hall PA *et al*
Cane P *see* Mutimer D *et al*
Carey HV *et al*. Changes in gut function during hibernation: implications for bowel transplantation and surgery: *leader*, **459**
Carlsson J *see* Myrvold HE *et al*
Carr-Locke DL. Can endoscopic papillary balloon dilation really preserve sphincter of Oddi function?: *commentary*, **608**
Carroccio A *et al*. Guinea pig transglutaminase immunolinked assay does not predict coeliac disease in patients with chronic liver disease, **506**
Carter MJ *see* Sanders DS *et al*
Casals T *see* Estivill X *et al*
Castell DO *see* Spechler SJ and Castell DO
Cauvin J-M *see* Couvelard A *et al*
Ceresi E *see* Cinti S *et al*
Cetta F *et al*. Histological and genetic heterogeneity in synchronous hepatocellular carcinoma: *letter*, **155**
Chamuleau RAFM *see* Janssen HLA *et al*
Chan H-H *see* Lai K-H *et al*
Changani KK *et al*. Evidence for altered hepatic gluconeogenesis in patients with cirrhosis using in vivo 31-phosphorus magnetic resonance spectroscopy, **557**
Chapman RW *see* Mitchell SA *et al*
Chardot C *see* Lykavieris P *et al*

Charlett A *see* Warburton-Timms VJ *et al*
Chen B *see* Sham MH *et al*
Cheng J-S *see* Lai K-H *et al*
Cho H *see* Oh TY *et al*
Cho SW *see* Oh TY *et al*
Christ AD *see* Hildebrand P *et al*
Christensen RD *see* Juul SE *et al*
Ciccocioppo R *see* di Sabatino A *et al*
Cifone MG *see* di Sabatino A *et al*
Cinti S *et al*. Leptin in the human stomach: *letter*, **155**
Clancy R *see* O'Loughlin EV *et al*
Clària J, Rodés J. Sodium in preascitic cirrhosis: please pass the salt: *commentary*, **748**
Cockram A *see* Barrett S *et al*
Cohard M *see* Colombel J-F *et al*
Cohen Z *see* Silverberg MS *et al*
Cole AT *see* Hawkey GM *et al*
Collard A *see* Louis E *et al*
Collins SM *see* de Giorgio R *et al*
Collins SM *et al*. The putative role of inflammation in the irritable bowel syndrome: *leader*, **743**
Colombel J-F *see* Buisine M-P *et al*
Colombel J-F *et al*. Interleukin 10 (Tenovil) in the prevention of postoperative recurrence of Crohn's disease, **42**
Conradt C *see* Simanowski UA *et al*
Conway S *see* Kelly D and Conway S
Copin M-C *see* Buisine M-P *et al*
Corazza GR *see* di Sabatino A and Corazza GR *see* di Sabatino A *et al*
Corinaldesi R *see* de Giorgio R *et al*
Corless CL *see* Fennerty MB *et al*
Cotton PB *see* Wallace MB *et al*
Coughlan B *see* Barrett S *et al*
Coulie B *see* Piessevaux H *et al*
Couvelard A *see* Fabre A *et al*
Couvelard A *et al*. Cytokeratin immunoreactivity of intestinal metaplasia at normal oesophagogastric junction indicates its aetiology, **761**
Cox IJ *see* Changani KK *et al*
Coy DH *see* Hildebrand P *et al*
Crabtree MD *et al*. Variability in the severity of colonic disease in familial adenomatous polyposis results from differences in tumour initiation rather than progression and depends relatively little on patient age, **540**
Craig RM. Intestinal permeability: the cellobiose/mannitol test: *letter*, **312**
Crowe J *see* Barrett S *et al*
Cullingworth J *see* Kelly S *et al*
Cummins A *see* Wigg A and Cummins A
Cummins AG *see* Wigg AJ and Cummins AG
Czaja AJ *see* Ben-Ari Z and Czaja AJ
Czajkowski M *see* Travis SPL *et al*

D'Alò S *see* di Sabatino A *et al*
Daly MJ *see* Silverberg MS *et al*
Dame C *see* Juul SE *et al*
Daniele B. Intestinal permeability: the cellobiose/mannitol test: *letter*, **312**
Danon SJ *see* Sutton P *et al*
Daum S *et al*. Frequency of clonal intraepithelial T lymphocyte proliferations in enteropathy-type intestinal T cell lymphoma, coeliac disease, and refractory sprue, **804**
Davidson BR *see* Sirivatanauksorn Y *et al*
Day CP *see* Mitchell SA *et al*
Day CP. Heavy drinking greatly increases the risk of cirrhosis in patients with HCV hepatitis: *review*, **750**
de Giorgio R *et al*. Intestinal inflammation and activation of sensory nerve pathways: a functional and morphological study in the nematode infected rat, **822**
Degott C *see* Fabre A *et al*
Degroote E *see* Louis E *et al*
de Hemptinne B *see* Hesse U *et al*
de Jong D *et al*. Why measure thiopurine methyltransferase activity? Direct administration of 6-thioguanine might be the alternative for 6-mercaptopurine or azathioprine: *letter*, **874**
del Vecchio MT *see* Cetta F *et al*
de La Motte C *see* Itoh J *et al*
de L'oesophage de Barrett MOTGD *see* Couvelard A *et al*
Demarco V *see* Juul SE *et al*
de Matteis R *see* Cinti S *et al*
Denis MG *see* Masson D *et al*
de Saeger C *see* Stärkel P *et al*
Desreumaux P *see* Buisine M-P *et al* *see* Colombel J-F *et al*
Detjen KM *et al*. Interferon γ inhibits growth of human pancreatic carcinoma cells via caspase-1 dependent induction of apoptosis, **251**
de Wilde Qc R *see* Murray-Lyon IM and de Wilde Qc R
di Rosa C *see* Carroccio A *et al*
di Sabatino A, Corazza GR. Surviving too long in Crohn's disease: *commentary*, **6**
di Sabatino A *et al*. Intraepithelial and lamina propria lymphocytes show distinct patterns of apoptosis whereas both populations are active in Fas based cytotoxicity in coeliac disease, **380**
Distante S, Bell H. Reply: *letter*, **156**
Dixon MF. Prospects for intervention in gastric carcinogenesis: reversibility of gastric atrophy and intestinal metaplasia: *leader*, **2**
Dixon MF *et al*. Bile reflux gastritis and Barrett's oesophagus: further evidence of a role for duodenogastro-oesophageal reflux?, **359**
Djuric V *see* Tougas G *et al*
Dojo M *see* Azuma T *et al*
Donnelly MT *see* Murray IA *et al*
Dowling RH *see* Thomas LA *et al* *see* Veysey MJ *et al*
Duerr RH *see* Parkes M *et al*
Duncan HD *see* Pearce CB *et al*
Dupas JL *see* Mahmud N *et al*
Durkalski VL *see* Wallace MB *et al*

Ekbom A *see* Ye W *et al*
Eksteen B *see* Latchford A *et al*
Elashoff JD *see* Meyer JH *et al*
Emmanuel AV, Kamm MA. Response to a behavioural treatment, biofeedback, in constipated patients is associated with improved gut transit and autonomic innervation, **214**
Emmanuel AV *et al*. Relationship between psychological state and level of activity of extrinsic gut innervation in patients with a functional gut disorder, **209**
Enya M *see* Yasuda I *et al*
Ercolani G *see* Cetta F *et al*
Ernst SA *see* Tashiro M *et al*
Estivill X *et al*. Reply: *letter*, **312**
Eugen-Olsen J *see* Perner A *et al*
Ewald U *see* Kruis W *et al*

Fabre A *et al*. Dengue virus induced hepatitis with chronic calcific changes: *review*, **864**
Fagerhol M *see* Tibble J *et al*
Faigel DO *see* Fennerty MB *et al*
Faiss S *see* Grötzinger C *et al*
Falconi M, Pederzoli P. The relevance of gastrointestinal fistulae in clinical practice: a review, **2**
Fallen EL *see* Tougas G *et al*
Farthing MJG, Williamson A. Getting our journals to developing countries: *editorial*, **1**
Farwig K *see* Detjen KM *et al*
Fasano A. Intestinal zonulin: open sesame!: *leader*, **159**
Fass R *see* Meyer JH *et al*
Fear S *see* Leiper K *et al*
Fehér J *see* Nemetz A *et al*
Feldman M. GRP and Pavlov's dogs: *commentary*, **5**
Fennerty MB *et al*. Pathological documentation of complete elimination of Barrett's metaplasia following endoscopic multipolar electrocoagulation therapy, **142**
Feraz-Neto BH *see* Mutimer D *et al*
Ferguson A *see* Colombel J-F *et al*
Fiocchi C *see* Itoh J *et al*
Fischer-Hansen B *see* Perner A *et al*
Fitzgerald RC. Beyond acid suppressants in gastro-oesophageal reflux disease: *commentary*, **320**
Fléjou J-F *see* Couvelard A *et al*
Fleming KA *see* Mitchell SA *et al*
Fleshner NE *see* Fleshner PR *et al*
Fleshner PR *et al*. High level perinuclear antineutrophil cytoplasmic antibody (pANCA) in ulcerative colitis patients before colectomy predicts the development of chronic pouchitis after ileal pouch-anal anastomosis, **671**
Forbes A *see* Colombel J-F *et al*
Foss H-D *see* Daum S *et al*
Foster R *see* Tibble J *et al*
Fox JG *et al*. The African enigma: the parasite's perspective: *letter*, **156**
Francis R *see* Newton J *et al*
Franklin CL *see* Lowry PW *et al* *see* Lowry PW *et al*
French G *see* Thomas LA *et al*
Freston JW. Should we eradicate *Helicobacter pylori* before long term antireflux therapy?, **616**
Fu M *see* Sham MH *et al*
Fu M-T *see* Lai K-H *et al*
Fukuda Y *see* Nakano I *et al*

Gaiennie J *see* Fleshner PR *et al*
Galloway ML *see* Morris DL *et al*
García-González MA *see* Nemetz A *et al*
Gardiner KR *see* Kennedy RJ *et al*
Gartung C *see* Wasmuth HE *et al*
Gasbarrini G *see* Grieco A *et al*
Gathercole L *see* Kelly S *et al*
Geboes K *see* Colombel J-F *et al*
Geenen DJ *see* Talley NJ *et al*
Geßner R *see* Grötzinger C *et al*
Geier A *see* Wasmuth HE *et al*
Geubel A *see* Piessevaux H *et al*

Giannitrapani L *see* Carroccio A *et al*
Gibbons AH *see* Hildebrand P *et al*
Gigot J-F *see* Gouillat C and Gigot J-F
Girgrah N *see* Wong F *et al*
Goh J *see* Barrett S *et al*
Goin JC *see* Sterin-Borda L *et al*
Goldfain D *see* Couvelard A *et al*
González EM *see* González-Pinto I and González EM
González-Pinto I, González EM. Optimising the treatment of upper gastrointestinal fistulae, **22**
Gorrell MD *see* Shackel NA *et al*
Gouillat C, Gigot J-F. Pancreatic surgical complications—the case for prophylaxis, **32**
Graba J *see* Wong F *et al*
Grainge MJ *see* Lund JN *et al*
Grant J *see* Lewison G *et al*
Greco L. Reply: *letter*, **738**
The father figure in coeliac disease: *commentary*, **163**
Green J *see* Hahm K-B *et al*
Greenberg GR *see* Silverberg MS *et al*
Grehan M *see* O'Rourke JL *et al*
Grieco A *et al.* Is coeliac disease a confounding factor in the diagnosis of NASH?: *letter*, **596**
Grötzinger C *et al.* LI-cadherin: a marker of gastric metaplasia and neoplasia, **73**
Grove BH *see* Williams EJ *et al*
Grove J *see* Mitchell SA *et al*
Guarner L *see* Estivill X *et al*
Guidetti CS *et al.* Duration of gluten exposure in adult coeliac disease does not correlate with the risk for autoimmune disorders, **502**
Guignot J *see* Hudault S *et al*
Guslandi M. Probiotics in Crohn's disease: *letter*, **873**

Haagsma EB *see* Janssen HLA *et al*
Hadchouel M *see* Lykavieris P *et al*
Hadwin R *see* Williams EJ *et al*
Hahm KB *see* Oh TY *et al*
Hahm K-B *et al.* Loss of transforming growth factor β signalling in the intestine contributes to tissue injury in inflammatory bowel disease, **190**
Hall PA *et al.* Expression of the p53 homologue p63α and ΔNp63α in the neoplastic sequence of Barrett's oesophagus: correlation with morphology and p53 protein, **618**
Halter F *et al.* Cyclooxygenase 2—implications on maintenance of gastric mucosal integrity and ulcer healing: controversial issues and perspectives: *review*, **443**
Hamanaka Y *et al.* Expression of human β-defensin 2 (hBD-2) in *Helicobacter pylori* induced gastritis: antibacterial effect of hBD-2 against *Helicobacter pylori*, **481**
Hämling J *see* Kruis W *et al*
Hanck C *et al.* Gene expression of interleukin 18 in unstimulated peripheral blood mononuclear cells of patients with alcoholic cirrhosis, **106**
Hansen BE *see* Janssen HLA *et al*
Harris KM *see* Kelly S *et al*
Harrison R *see* Mutimer D *et al*
Hatlebakk J *see* Myrvold HE *et al*
Hawkey CJ *see* Hawkey GM *et al*
Hawkey GM *et al.* Drug treatments in upper gastrointestinal bleeding: value of endoscopic findings as surrogate end points, **372**
Hawthorne AB. Methotrexate: a useful alternative in Crohn's disease?, **9**
Hayakawa T *see* Nakano I *et al*
Hayama M *see* Hidaka E *et al*
Hayashi K *see* Nakano I *et al*
Heeley R *see* Murray IA *et al*
Heise W *see* Daum S *et al*
Helicobacter and Cancer Collaborative Group. Gastric cancer and *Helicobacter pylori*: a combined analysis of 12 case control studies nested within prospective cohorts, **347**
Hellier MD *see* Murray IA *et al*
Hemmerlein B *see* Middel P *et al*
Henriksen JH *et al.* High arterial compliance in cirrhosis is related to low adrenaline and elevated circulating calcitonin gene related peptide but not to activated vasoconstrictor systems, **112**
Hermon-Taylor J. Protagonist: *Mycobacterium avium* subspecies *paratuberculosis* is a cause of Crohn's disease, **755**
Herms J *see* Middel P *et al*
Hernando AC *see* Sterin-Borda L *et al*
Hesse U *et al.* Role of somatostatin-14 and its analogues in the management of gastrointestinal fistulae: clinical data, **11**
Hidaka E *et al. Helicobacter pylori* and two ultrastructurally distinct layers of gastric mucous cell mucins in the surface mucous gel layer, **474**
Hidaka H *see* Hidaka E *et al*
Hildebrand P *et al.* Regulation of gastric function by endogenous gastrin releasing peptide in humans: studies with a specific gastrin releasing peptide receptor antagonist, **23**
Hirata Y *see* Mitsuno Y *et al*
Hirayama T *see* Hamanaka Y *et al*
Hogan RB *see* Talley NJ *et al*
Hoggard N *see* Sanders DS *et al*
Hojo H *see* Hamanaka Y *et al*
Hollerbach S *see* Tougas G *et al*
Holmberg L *see* Terry P *et al*
Holmgren J *see* Quiding-Järbrink M *et al*
Homann N *see* Simanowski UA *et al*
Hop WCJ *see* Vleggaar FP *et al*
Horsmans Y *see* Stärkel P *et al*
Howaldt S *see* Kruis W *et al*
Howell S *see* Bytzer P *et al*
Hozyasz KK. Coeliac disease and birth defects in offspring: *letter*, **738**
Hsu P-I *see* Lai K-H *et al*
Hudault S *et al. Escherichia coli* strains colonising the gastrointestinal tract protect germfree mice against *Salmonella typhimurium* infection, **47**
Hudson TJ *see* Silverberg MS *et al*
Hugot JP *see* Parkes M *et al*
Hummel M *see* Daum S *et al*
Hunter JO *see* Leiper K *et al*
Hurlstone DP *see* Sanders DS *et al*
Hutton J *see* Kelly S *et al*
Hylemon PB *see* Thomas LA *et al*

Iacono G *see* Carroccio A *et al*
Iantorno G *see* Sterin-Borda L *et al*
Iijima K *see* Koike T *et al*
Ikuma H *see* Yamaji Y *et al*
Im Y-H *see* Hahm K-B *et al*
Iredale JP *see* Williams EJ *et al*
Israel DA *see* Kidd M *et al*
Ito M *see* Hamanaka Y *et al*
Ito Y *see* Azuma T *et al*
Itoh J *et al.* Decreased Bax expression by mucosal T cells favours resistance to apoptosis in Crohn's disease, **35**

Jacyna M *see* Colombel J-F *et al*
Jalan R *see* Changani KK *et al*
James O *see* Newton J *et al*
Jankowski J *see* Latchford A *et al*
Jansen P *see* Lewison G *et al*
Janssen HLA *et al.* Extrahepatic portal vein thrombosis: aetiology and determinants of survival, **720**
Janssens J *see* Piessevaux H *et al*
Jarry A *see* Masson D *et al*
Järvinen HJ *see* Vasen HFA *et al*
Jenkins PJ *see* Veysey MJ *et al*
Jewell DP *see* Mahmud N *et al*
see McGovern DPB *et al*
see Parkes M *et al*
Jodal M *see* Sörensson J *et al*
Johansson E-L *see* Quiding-Järbrink M *et al*
Johnson IT *see* Latham P *et al*
Jolobe O. Guidelines for the management of iron deficiency anaemia: *letter*, **158**
Jones D *see* Newton J *et al*
Jones E *see* Vincent KJ *et al*
Jones MP *see* Bytzer P *et al*
Jowell PS *see* Wallace MB *et al*
Joyce AE *see* Juul SE *et al*
Julkunen R *see* Myrvold HE *et al*
Jung H-Y *see* Hahm K-B *et al*
Juul SE *et al.* Erythropoietin acts as a trophic factor in neonatal rat intestine, **182**

Kam LY *see* Fleshner PR *et al*
Kamath MV *see* Tougas G *et al*
Kamm MA *see* Emmanuel AV and Kamm MA
see Emmanuel AV *et al*
see Mahmud N *et al*
Karpen SJ *see* Arrese M and Karpen SJ
Katano Y *see* Nakano I *et al*
Kate FJWT *see* Vleggaar FP *et al*
Kato K *see* Koike T *et al*
Kato T *see* Azuma T *et al*
see Yasuda I *et al*
Katsuyama T *see* Hidaka E *et al*
Kawabe T *see* Mitsuno Y *et al*
see Yamaji Y *et al*
Kelleher D *see* Mahmud N *et al*
Kelly CP *see* Kyne L and Kelly CP
Kelly D, Conway S. Genomics at work: the global gene response to enteric bacteria: *review*, **612**
Kelly S *et al.* A systematic review of the staging performance of endoscopic ultrasound in gastro-oesophageal carcinoma, **534**
Kennedy RJ *et al.* Probiotics in IBD: *letter*, **873**
Ketterer S *see* Hildebrand P *et al*
Kidd M *et al.* Analysis of *iceA* genotypes in South African *Helicobacter pylori* strains and relationship to clinically significant disease, **629**

Conservation of thecag pathogenicity island is associated withvacA alleles and gastroduodenal disease in South AfricanHelicobacter pylori isolates, **11**
Kim S-J *see* Hahm K-B *et al*
Kim WB *see* Oh TY *et al*
Kim YB *see* Oh TY *et al*
Kirk SJ *see* Kennedy RJ *et al*
Kleeff J *see* Wildi S *et al*
Kneifel J *see* Grötzinger C *et al*
Knuhl M *see* Simanowski UA *et al*
Kohno S *see* Hamanaka Y *et al*
Koike T *et al*. *Helicobacter pylori* infection prevents erosive reflux oesophagitis by decreasing gastric acid secretion, **330**
Koina C *see* O'Loughlin EV *et al*
Kölbel CB *see* Hanck C *et al*
Konomi H *see* Meedeniya ACB *et al*
Koop I *see* Kruis W *et al*
Korabiowska M *see* Middel P *et al*
Korc M *see* Wildi S *et al*
Kosaka T *see* Sutton P *et al*
Krakamp B *see* Kruis W *et al*
Kruis W *et al*. Low dose balsalazide (1.5 g twice daily) and mesalazine (0.5 g three times daily) maintained remission of ulcerative colitis but high dose balsalazide (3.0 g twice daily) was superior in preventing relapses, **783**
Kumada T *see* Nakano I *et al*
Kummer AF *see* Kidd M *et al*
Kurazono H *see* Hamanaka Y *et al*
Kurimoto M *see* Hanck C *et al*
Kuriyama M *see* Azuma T *et al*
Kyne L, Kelly CP. Recurrent *Clostridium difficile* diarrhoea, **152**

Labenz J. Should we eradicate *Helicobacter pylori* before long term antireflux therapy?, **614**
Laboisse C *see* Masson D *et al*
Lagergren J *see* Ye W *et al*
Lagorce-Pagès C *see* Fabre A *et al*
Lai K-H *et al*. Effect of somatostatin on the sphincter of Oddi in patients with acute non-biliary pancreatitis, **843**
Lambotte L *see* Stärkel P *et al*
Lamm M *see* Myrvold HE *et al*
Lamy P *see* Walsh KM *et al*
Langman MJS. Which PPI?, **309**
Larsen F *see* Hildebrand P *et al*
Lastovica AJ *see* Kidd M *et al*
see Kidd M *et al*
Latchford A *et al*. The continuing tale of cytokeratins in Barrett's mucosa: *As you like it*: *commentary*, **746**
Latham P *et al*. Effects of cellular redox balance on induction of apoptosis by eicosapentaenoic acid in HT29 colorectal adenocarcinoma cells and rat colon in vivo, **97**
Lebrec D. Drug therapy for portal hypertension, **441**
Life, death, and varices: *commentary*, **607**
Ledbetter DJ *see* Juul SE *et al*
Lee A *see* O'Rourke JL *et al*
see Sutton P *et al*
Lee J *see* Ohtsuka Y *et al*
Lee JS *see* Oh TY *et al*
Lee KM *see* Oh TY *et al*
Lee SS *see* Burak KW *et al*
Leemon M *see* Bytzer P *et al*
Lehmann FS *see* Hildebrand P *et al*
Leiper K *et al*. A randomised controlled trial of high versus low long chain triglyceride whole protein feed in active Crohn's disease, **790**
Lembo A *see* Meyer JH *et al*
Lemoine NR *see* Sirivatanauksorn Y *et al*
Lesage S *see* Parkes M *et al*
Leteurtre E *see* Buisine M-P *et al*
Leung JW *see* Wallace MB *et al*
Levander K *see* Myrvold HE *et al*
Levine AD *see* Itoh J *et al*
Lewison G *et al*. International gastroenterology research: subject areas, impact, and funding, **295**
Libby ED *see* Wallace MB *et al*
Lieberman DA *see* Fennerty MB *et al*
Liedman B *see* Myrvold HE *et al*
Lin C-K *see* Lai K-H *et al*
Lindholm C *see* Quiding-Järbrink M *et al*
Lipsky JJ *see* Lowry PW *et al*
see Lowry PW *et al*
Liu P *see* Wong F *et al*
see Wong F *et al*
Ljungh *see* Wadström T *et al*
Lo G-H *see* Lai K-H *et al*
Lobo AJ *see* Sanders DS *et al*
Loftus EV *see* Lowry PW *et al*
Logan RFA *see* Lund JN *et al*
Londei M. The external world of gluten and autoimmunity: *commentary*, **463**
Long RG *see* Hawkey GM *et al*
Lönroth H *see* Quiding-Järbrink M *et al*
see Quiding-Järbrink M *et al*
Louis E *et al*. Behaviour of Crohn's disease according to the Vienna classification: changing pattern over the course of the disease, **777**
Louw JA *see* Kidd M *et al*
see Kidd M *et al*
Lowry PW *et al*. Leucopenia resulting from a drug interaction between azathioprine or 6-mercaptopurine and mesalamine, sulphasalazine, or balsalazide, **656**
Measurement of thiopurine methyltransferase activity and azathioprine metabolites in patients with inflammatory bowel disease, **665**
Ludvigsson J *see* Ludvigsson JF and Ludvigsson J
Ludvigsson JF, Ludvigsson J. Coeliac disease in the father affects the newborn, **169**
Lui VCH *see* Sham MH *et al*
Lund EK *see* Latham P *et al*
Lund JN *et al*. Risks, costs, and compliance limit colorectal adenoma surveillance: lessons from a randomised trial, **91**
Lundell L *see* Myrvold HE *et al*
Lundgren O *see* Sörensson J *et al*
Lundin KEA *see* Salvati VM *et al*
Lustenberger P *see* Masson D *et al*
Lykavieris P *et al*. Outcome of liver disease in children with Alagille syndrome: a study of 163 patients, **431**

McCallum RW *see* Talley NJ *et al*
McCaughan GW *see* Shackel NA *et al*
McColl KEL *see* Talley NJ and McColl KEL
McCormick PA, O'Keefe C. Improving prognosis following a first variceal haemorrhage over four decades, **682**
MacDonald TT *see* Salvati VM *et al*
McGovern DPB *see* Travis SPL *et al*
McGovern DPB *et al*. *NOD2 (CARD15)*, the first susceptibility gene for Crohn's disease: *review*, **752**
McGuinness PH *see* Shackel NA *et al*
McIntyre AS *see* Hawkey GM *et al*
Mack RJ *see* Talley NJ *et al*
McLeod RS *see* Silverberg MS *et al*
McNulty CAM *see* Warburton-Timms VJ *et al*
Maeda S *see* Mitsuno Y *et al*
Maffeis C *see* Cinti S *et al*
Mahmud N *et al*. Olsalazine is not superior to placebo in maintaining remission of inactive Crohn's colitis and ileocolitis: a double blind, parallel, randomised, multicentre study, **552**
Maiter D *see* Stärkel P *et al*
Malats N *see* Estivill X *et al*
Malchow H *see* Colombel J-F *et al*
Malcolm P *see* Veysey MJ *et al*
Mallet AI *see* Veysey MJ *et al*
Mangham C *see* Lund JN *et al*
Mangino MJ *see* Carey HV *et al*
Manigold T *see* Hanck C *et al*
Mann DA *see* Vincent KJ *et al*
Manns MP *see* Ockenga J *et al*
Mapstone NP *see* Dixon MF *et al*
Markowitz S *see* Hahm K-B *et al*
Maruyama H *see* Wildi S *et al*
Mason HJ *see* Emmanuel AV *et al*
Masson D *et al*. Overexpression of the *CD155* gene in human colorectal carcinoma, **236**
Matern S *see* Wasmuth HE *et al*
Matsuzawa K *see* Hidaka E *et al*
Mattson C *see* Myrvold HE *et al*
Maurer CA *see* Wildi S *et al*
Mauriño E *see* Smecuol E *et al*
Maxwell JD *see* Moodie SJ and Maxwell JD
Mayberry JF *see* Playford RJ *et al*
Mayer EA *see* Meyer JH *et al*
Mays DC *see* Lowry PW *et al*
see Lowry PW *et al*
Mazzarella G *see* Salvati VM *et al*
Mazziotti A *see* Cetta F *et al*
Meddings J *see* Smecuol E *et al*
Meedeniya ACB *et al*. Inhibitory motor innervation of the gall bladder musculature by intrinsic neurones containing nitric oxide in the Australian Brush-tailed possum (*Trichosurus vulpecula*), **692**
Melani L *see* Colombel J-F *et al*
Mendall MA *see* Poullis A and Mendall MA
Mengozzi G *see* Guidetti CS *et al*
Meyer JH *et al*. Duodenal fat intensifies the perception of heartburn, **624**
Middel P *et al*. Interleukin 16 expression and phenotype of interleukin 16 producing cells in Crohn's disease, **795**
Miele L *see* Grieco A *et al*
Miettinen P *see* Myrvold HE *et al*
Millimaggi D *see* di Sabatino A *et al*
Mitchell SA *et al*. Association of the tumour necrosis factor α −308 but not the interleukin 10 −627 promoter polymorphism with genetic susceptibility to primary sclerosing cholangitis, **288**

Mitsuno Y *et al. Helicobacter pylori* induced transactivation of SRE and AP-1 through the ERK signalling pathway in gastric cancer cells, **18**
Mitsushima T *see* Yamaji Y *et al*
Moayyedi P *see* Dixon MF *et al*
Moayyedi P. Counting the cost of proton pump inhibitors: *commentary*, **462**
Møller S *see* Henriksen JH *et al*
Mönnikes H *see* Kruis W *et al*
Montalban C *et al.* Regression of gastric high grade mucosa associated lymphoid tissue (MALT) lymphoma after *Helicobacter pylori* eradication, **584**
Montalto G *see* Carroccio A *et al*
Montgomery SM *see* Morris DL *et al*
Moodie SJ, Maxwell JD. Phenotypic expression of the HFE gene mutation (C282Y) among the hospitalised population: *letter*, **156**
Moore K. The hepatorenal syndrome: *review*, **729**
Moriwaki H *see* Yasuda I *et al*
Morris AI *see* Murray IA *et al*
Morris DL *et al.* Inflammatory bowel disease and laterality: is left handedness a risk?, **199**
Moskovitz DN *see* Silverberg MS *et al*
Mottaran E *see* Rolla R *et al*
Mulder CJJ *see* de Jong D *et al*
Mullan MMC *see* Leiper K *et al*
Murphy GM *see* Thomas LA *et al*
see Veysey MJ *et al*
Murray IA *et al.* The future of ERCP training in the UK: *letter*, **739**
Murray-Lyon IM, de Wilde Qc R. Liver biopsy: "blind" or under ultrasound control: *letter*, **157**
Mutimer D *et al.* Acute liver graft failure due to emergence of lamivudine resistant hepatitis B virus: rapid resolution during treatment with adefovir, **860**
Myrvold HE *et al.* The cost of long term therapy for gastro-oesophageal reflux disease: a randomised trial comparing omeprazole and open antireflux surgery, **488**

Nagler-Anderson C *see* Fox JG *et al*
Nakahara Y *see* Hamanaka Y *et al*
Nakano I *et al.* Interteron responsiveness in patients infected with hepatitis C virus 1b differs depending on viral subtype, **263**
Nakano S *see* Nakano I *et al*
Nakashima M *see* Hamanaka Y *et al*
Nakayama J *see* Hidaka E *et al*
Nemetz A *et al.* Allelic variation at the interleukin 1β gene is associated with decreased bone mass in patients with inflammatory bowel diseases, **644**
Neuberger J *see* Booth JCL *et al*
Neurath MF. Signals on the immune tract: *commentary*, **164**
Neville PM *see* Dixon MF *et al*
Newton J *et al.* Osteoporosis in primary biliary cirrhosis revisited, **282**
Nickl NJ *see* Wallace MB *et al*
Nielsen OH *see* Colombel J-F *et al*
Nilsen EM *see* Salvati VM *et al*
Niveloni S *see* Smecuol E *et al*
Noltorp R *see* O'Loughlin EV *et al*
Normark M *see* Perner A *et al*
Not T *see* Carroccio A *et al*
Notarbartolo A *see* Carroccio A *et al*
Nyrén O *see* Ye W *et al*

Obrador A *see* Cinti S *et al*
Ockenga J *et al.* Evaluation of the role of CFTR in alcohol related pancreatic disease: *letter*, **312**
O'Donnell K *see* Mutimer D *et al*
Oger AF *see* Louis E *et al*
O'Grady J *see* Booth JCL *et al*
Ogura K *see* Mitsuno Y *et al*
Oh TY *et al.* Oxidative stress is more important than acid in the pathogenesis of reflux oesophagitis in rats, **364**
Ohara S *see* Koike T *et al*
Ohtani M *see* Azuma T *et al*
Ohtsuka Y *et al.* MIP-2 secreted by epithelial cells increases neutrophil and lymphocyte recruitment in the mouse intestine, **526**
Okamoto M *see* Yamaji Y *et al*
O'Keane JC *see* Barrett S *et al*
O'Keefe C *see* McCormick PA and O'Keefe C
Oliver J *see* Cinti S *et al*
Oliver P *see* Cinti S *et al*
O'Loughlin EV *et al.* Interleukin 2 modulates ion secretion and cell proliferation in cultured human small intestinal enterocytes, **636**
Omata M *see* Mitsuno Y *et al*
see Yamaji Y *et al*
O'Morain CA *see* Mahmud N *et al*
see Qasim A *et al*
O'Rourke JL *et al.* Non-pylori helicobacter species in humans: *leader*, **601**
Ota H *see* Hidaka E *et al*

Palesch YY *see* Wallace MB *et al*
Pallant D *see* Kruis W *et al*
Palmer KR. Intravenous omeprazole after endoscopic treatment of bleeding peptic ulcers: *review*, **610**
Palou A *see* Cinti S *et al*
Panfili E *see* Carroccio A *et al*
Pang C *see* Tougas G *et al*
Pang GP *see* O'Loughlin EV *et al*
Park S-H *see* Hahm K-B *et al*
Parker T *see* Leiper K *et al*
Parkes M *et al.* Ulcerative colitis is more strongly linked to chromosome 12 than Crohn's disease: *letter*, **311**
Parks TW *see* Hahm K-B *et al*
Parodi M *see* Rolla R *et al*
Parroni R *see* di Sabatino A *et al*
Patch D *see* Vlachogiannakos J *et al*
Pathmakanthan S *see* Murray IA *et al*
Patschan D *see* Grötzinger C *et al*
Paulley JW. Indecision and irritable bowel: *letter*, **455**
Pearce CB *et al.* Small bowel biopsies in patients with iron deficiency anaemia: *letter*, **595**
Pedersen SA *see* Myrvold HE *et al*
Pederzoli P *see* Falconi M and Pederzoli P
Pedreira S *see* Smecuol E *et al*
Peek RM *see* Kidd M *et al*
Peeters T *see* Tack J and Peeters T
Peña AS *see* Nemetz A *et al*
Perner A *et al.* Expression of nitric oxide synthases and effects of l-arginine and l-NMMA on nitric oxide production and fluid transport in collagenous colitis, **387**
Peskar BM *see* Halter F *et al*
Phillips C. Serum antibody responses to *Clostridium difficile* toxin A: predictive and protective?: *review*, **167**
Phillips RKS *see* Crabtree MD *et al*
Picó C *see* Cinti S *et al*
Piche T *see* Collins SM *et al*
Piessevaux H *et al.* Perception of changes in wall tension of the proximal stomach in humans, **203**
Pignataro G *see* Grieco A *et al*
Pike MG *see* Lowry PW *et al*
Pillay D *see* Mutimer D *et al*
Playford RJ *et al.* Liver biopsy: "blind" or under ultrasound control: *letter*, **157**
Poller DN *see* Pearce CB *et al*
Polzien F *see* Middel P *et al*
Pompili M *see* Grieco A *et al*
Porchet N *see* Buisine M-P *et al*
Porta M *see* Estivill X *et al*
Poullis A, Mendall MA. Alcohol, obesity, and TNF-α: *letter*, **313**
Poulsom R *see* Salvati VM *et al*
Pounder RE *see* Morris DL *et al*
Prince M *see* Newton J *et al*

Qasim A *et al.* Aminosalicylate as prophylaxis for Crohn's disease: *letter*, **873**
Quiding-Järbrink M *et al.* Homing commitment of lymphocytes activated in the human gastric and intestinal mucosa, **519**
Human gastric B cell responses can be induced by intestinal immunisation, **512**
Quinn M. Reinnervation after childbirth—a new paradigm for sensory bowel symptoms?: *letter*, **597**
Quirke P. *Mycobacterium avium* subspecies *paratuberculosis* is a cause of Crohn's disease, **757**

Radzun H-J *see* Middel P *et al*
Rampal P *see* Collins SM *et al*
Rapaccini GL *see* Grieco A *et al*
Rask-Madsen J *see* Colombel J-F *et al*
see Perner A *et al*
Rawlings D *see* Newton J *et al*
Real FX *see* Estivill X *et al*
Reich K *see* Middel P *et al*
Remberger M *see* Bo X *et al*
Rhodes JM *see* Leiper K *et al*
Rhodes JM. Ulcerative colitis extent varies with time but endoscopic appearances may be deceptive: *review*, **322**
Richter JE. *H pylori*: the bug is not all bad: *commentary*, **319**
Riecken E-O *see* Daum S *et al*
Riff D *see* Talley NJ *et al*
Rigamonti C *see* Rolla R *et al*
Rioux JD *see* Silverberg MS *et al*
Robaszkiewicz M *see* Couvelard A *et al*
Robine S *see* Rouzier R and Robine S
Robinson MH *see* Lund JN *et al*
Roderick P *see* Kelly S *et al*
Rodés J *see* Clària J and Rodés J
Rolla R *et al.* Antiphospholipid antibodies associated with alcoholic liver disease specifically recognise oxidised phospholipids, **852**
Rosendaal FR *see* Janssen HLA *et al*
Rosewicz S *see* Detjen KM *et al*
Rossol S *see* Hanck C *et al*
Rotenberg A *see* Couvelard A *et al*
Rouzier R, Robine S. The subtleties of intestinal metaplasia: *commentary*, **8**

Royal College of Physicians of London and the British Society of Gastroenterology *see* Booth JCL *et al*
Rutgeerts P *see* Colombel J-F *et al*
Ryan E *see* Barrett S *et al*

Saccone GTP *see* Meedeniya ACB *et al*
Saito K *see* Yamaji Y *et al*
Saliez A *see* Stärkel P *et al*
Salvati VM *et al.* Keratinocyte growth factor and coeliac disease, **176**
Sampliner RE *see* Fennerty MB *et al*
Samsom M *see* van Herwaarden MA *et al*
Sandborn WJ *see* Lowry PW *et al*
see Lowry PW *et al*
Sanders DS *et al.* Research outcomes in British gastroenterology: an audit of the subsequent full publication of abstracts presented at the British Society of Gastroenterology: *letter*, **154**
Sanderson IR *see* Ohtsuka Y *et al*
Santon A *see* Montalban C *et al*
Sartori M *see* Rolla R *et al*
Satsangi J *see* Parkes M *et al*
Satsangi J, Vermeire S. Chromosome 3p and inflammatory bowel disease: *letter*, **455**
Scaglione N *see* Guidetti CS *et al*
Schäfer C *see* Tashiro M *et al*
Schifter S *see* Henriksen JH *et al*
Schloithe AC *see* Meedeniya ACB *et al*
Schmassmann A *see* Halter F *et al*
Schnell TG *see* Avidan B *et al*
Schnoy N *see* Grötzinger C *et al*
Scholefield JH *see* Lund JN *et al*
Schreiber S *see* Kruis W *et al*
Schreiber S. Monocytes or T cells in Crohn's disease: does IL-16 allow both to play at that game?: *commentary*, **747**
Schrumpf E *see* Mitchell SA *et al*
Schütz E *see* Kruis W *et al*
Schutz SM *see* Wallace MB *et al*
Scott BB. Reply: *letter*, **595**
Seery J *see* Qasim A *et al*
Seitz HK *see* Simanowski UA *et al*
Sekine H *see* Koike T *et al*
Sekine I *see* Hamanaka Y *et al*
Seldenrijk CA *see* Wolf C *et al*
Sempoux C *see* Stärkel P *et al*
Servin AL *see* Hudault S *et al*
Shackel NA *et al.* Identification of novel molecules and pathogenic pathways in primary biliary cirrhosis: cDNA array analysis of intrahepatic differential gene expression, **565**
Sham MH *et al. SOX10* is abnormally expressed in aganglionic bowel of Hirschsprung's disease infants, **220**
Shaw J *see* Mutimer D *et al*
Shepherd NA *see* Hall PA *et al*
see Warburton-Timms VJ *et al*
Sheppard B *see* Fennerty MB *et al*
Sherwood R *see* Tibble J *et al*
Shimosegawa T *see* Koike T *et al*
Shiratori Y *see* Mitsuno Y *et al*
see Yamaji Y *et al*
Sigthorsson G *see* Tibble J *et al*
Silverberg MS *et al.* Diagnostic misclassification reduces the ability to detect linkage in inflammatory bowel disease genetic studies, **773**
Simanowski UA *et al.* Increased rectal cell proliferation following alcohol abuse, **418**
Siminovitch KA *see* Silverberg MS *et al*
Sinclair D *see* Pearce CB *et al*
Singer MV *see* Hanck C *et al*
Sirivatanauksorn V *see* Sirivatanauksorn Y *et al*
Sirivatanauksorn Y *et al.* Genomic homogeneity in fibrolamellar carcinomas, **82**
Smart DE *see* Vincent KJ *et al*
Smecuol E *et al.* Acute gastrointestinal permeability responses to different non-steroidal anti-inflammatory drugs, **650**
Smith MA *see* Kelly S *et al*
Smith SJ *see* Lund JN *et al*
Smout AJPM *see* van Herwaarden MA *et al*
see Wolf C *et al*
Solerio E *see* Guidetti CS *et al*
Sonnenberg A *see* Avidan B *et al*
Sontag SJ *see* Avidan B *et al*
Sørensen S *see* Perner A *et al*
Sörensson J *et al.* Involvement of nerves and calcium channels in the intestinal response to *Clostridium difficile* toxin A: an experimental study in rats in vivo, **56**
Soresi M *see* Carroccio A *et al*
Southard JH *see* Carey HV *et al*
Spaziani R *see* Tougas G *et al*
Spechler SJ, Castell DO. Classification of oesophageal motility abnormalities: *review*, **145**
Spurkland A *see* Mitchell SA *et al*
Ståhlhammar NO *see* Myrvold HE *et al*
Stamm DS *see* Ohtsuka Y *et al*
Stanghellini V *see* de Giorgio R *et al*

Stärkel P *et al.* After portal branch ligation in the rat, cellular proliferation in associated with selective induction of c-Ha-ras, p53, cyclin E, and Cdk2, **119**
Stein H *see* Daum S *et al*
Steinhart AH *see* Silverberg MS *et al*
Sterin-Borda L *et al.* Interaction of human chagasic IgG with human colon muscarinic acetylcholine receptor: molecular and functional evidence, **699**
Stewart S *see* Barrett S *et al*
Stingelin T *see* Hildebrand P *et al*
Stolte C *see* Wasmuth HE *et al*
Stolte M *see* Kruis W *et al*
Strangeways P *see* Valori RM *et al*
Strong SA *see* Itoh J *et al*
Stuhrmann M *see* Ockenga J *et al*
Sugai E *see* Smecuol E *et al*
Sumitran-Holgersson S *see* Bo X *et al*
Surh YJ *see* Oh TY *et al*
Suto H *see* Azuma T *et al*
Sutton P *et al.* Post-immunisation gastritis and *Helicobacter* infection in the mouse: a long term study, **467**
Svennerholm A-M *see* Quiding-Järbrink M *et al*
Szumlanski CL *see* Lowry PW *et al*

Tack J *see* Piessevaux H *et al*
Tack J, Peeters T. What comes after macrolides and other motilin stimulants?: *leader*, **317**
Talbot IC *see* Crabtree MD *et al*
Talley NJ *see* Bytzer P *et al*
Talley NJ, McColl KEL. *H pylori* and functional dyspepsia: *letter*, **738**
Talley NJ *et al.* Effects of a motilin receptor agonist (ABT-229) on upper gastrointestinal symptoms in type 1 diabetes mellitus: a randomised, double blind, placebo controlled trial, **395**
Tam PKH *see* Sham MH *et al*
Tang AKW *see* Vlachogiannakos J *et al*
Targan SR *see* Fleshner PR *et al*
Tarnawski AS *see* Halter F *et al*
Tashiro M *et al.* Arginine induced acute pancreatitis alters the actin cytoskeleton and increases heat shock protein expression in rat pancreatic acinar cells, **241**
Tauber R *see* Grötzinger C *et al*
Taylor-Robinson SD *see* Changani KK *et al*
Terry P *et al.* Coffee consumption and risk of colorectal cancer in a population based prospective cohort of Swedish women, **87**
Theuer D *see* Kruis W *et al*
Thomas LA *et al.* Bile acid metabolism by fresh human colonic contents: a comparison of caecal versus faecal samples, **835**
Thompson DG. Descartes and the gut: "I'm pink therefore I am": *commentary*, **165**
Thompson LJ *see* Sutton P *et al*
Thuraisingam AI. Survey of informed consent for endoscopy: *letter*, **874**
Tibble J *et al.* Faecal calprotectin and faecal occult blood tests in the diagnosis of colorectal carcinoma and adenoma, **402**
Timmer R *see* Wolf C *et al*
Tomita E *see* Yasuda I *et al*
Tomlinson IPM *see* Crabtree MD *et al*
Toouli J *see* Meedeniya ACB *et al*
Tóth M *see* Nemetz A *et al*
Tougas G *see* de Giorgio R *et al*
Tougas G *et al.* Cardiac autonomic function and oesophageal acid sensitivity in patients with non-cardiac chest pain, **706**
Toyoda H *see* Nakano I *et al*
Toyota T *see* Koike T *et al*
Travis SPL *et al.* Treatment of intestinal Behçet's syndrome with chimeric tumour necrosis factor α antibody, **725**
Tremaine WJ *see* Lowry PW *et al*
see Lowry PW *et al*
Trim J *see* Vincent KJ *et al*
Trim N *see* Williams EJ *et al*
Troncone R *see* Salvati VM *et al*
Tulassay Z *see* Nemetz A *et al*

Uff JS *see* Warburton-Timms VJ *et al*
Ullrich R *see* Daum S *et al*
Unemori EN *see* Williams EJ *et al*
Upton ARM *see* Tougas G *et al*

Vachon F *see* Fabre A *et al*
Valori RM *see* Warburton-Timms VJ *et al*
Valori RM *et al.* Reducing community dyspepsia drug costs: a controlled trial, **495**
van Buuren HR *see* Vleggaar FP *et al*
van der Vliet M *see* Leiper K *et al*
van Deventer S *see* Colombel J-F *et al*
van Duijvendijk P *see* Vasen HFA *et al*
van Hattum J *see* Janssen HLA *et al*
van Heel DA *see* McGovern DPB *et al*
van Herwaarden MA *et al.* Prolonged manometric recordings of oesophagus and lower oesophageal sphincter in achalasia patients, **813**

van Hoek B *see* Janssen HLA *et al*
van Nieuwkerk CMJ *see* Janssen HLA *et al*
van Sorge AA *see* de Jong D *et al*
van Uum SHM *see* Janssen HLA *et al*
van Zanten SJOV. Recurrent diarrhoea and weight loss associated with cessation of smoking in a patient with undiagnosed coeliac disease: *review*, **588**
Vasen HFA *et al.* Decision analysis in the surgical treatment of patients with familial adenomatous polyposis: a Dutch-Scandinavian collaborative study including 659 patients, **231**
Vasiliauskas EA *see* Fleshner PR *et al*
Vaughan J *see* Wallace MB *et al*
Vay D *see* Rolla R *et al*
Vazquez H *see* Smecuol E *et al*
Verlinden M *see* Talley NJ *et al*
Vermeire S *see* Satsangi J and Vermeire S
Veysey MJ *see* Thomas LA *et al*
Veysey MJ *et al.* Effects of cisapride on gall bladder emptying, intestinal transit, and serum deoxycholate: a prospective, randomised, double blind, placebo controlled trial, **828**
Vidali M *see* Rolla R *et al*
Vincent KJ *et al.* Regulation of E-box DNA binding during in vivo and in vitro activation of rat and human hepatic stellate cells, **713**
Vlachogiannakos J *et al.* Angiotensin converting enzyme inhibitors and angiotensin II antagonists as therapy in chronic liver disease: *review*, **303**
Vleggaar FP *see* Janssen HI A *et al*
Vleggaar FP *et al.* Jaundice in non-cirrhotic primary biliary cirrhosis: the premature ductopenic variant, **276**

Wada A *see* Hamanaka Y *et al*
Wadström T *et al.* Primary biliary cirrhosis and primary sclerosing cholangitis are of infectious origin!: *letter*, **454**
Wakefield AJ *see* Morris DL *et al*
Waldherr R *see* Simanowski UA *et al*
Walker M *see* Sutton P *et al*
Wallace MB *et al.* Age and alarm symptoms do not predict endoscopic findings among patients with dyspepsia: a multicentre database study, **29**
Walsh KM *et al.* Successful treatment with adefovir dipivoxil in a patient with fibrosing cholestatic hepatitis and lamivudine resistant hepatitis B virus, **436**
Wang E-M *see* Lai K-H *et al*
Wang L *see* de Giorgio R *et al*
Wang TC *see* Fox JG *et al*
Wang Y-Y *see* Lai K-H *et al*
Warburton-Timms VJ *et al.* The significance of *cagA*$^{+}$ *Helicobacter pylori* in reflux oesophagitis, **341**
Wasmuth HE *et al.* Induction of multiple autoantibodies to islet cell antigens during treatment with interferon alpha for chronic hepatitis C: *letter*, **596**
Watson RGP *see* Travis SPL *et al*
Weaver AL *see* Lowry PW *et al*
see Lowry PW *et al*
Weeks DE *see* Parkes M *et al*
Weinshilboum RM *see* Lowry PW *et al*
Weir DG *see* Mahmud N *et al*
Weiss D *see* Daum S *et al*
Welzel M *see* Detjen KM *et al*
Wicks ACB *see* Playford RJ *et al*
Wiedenmann B *see* Detjen KM *et al*
see Grötzinger C *et al*
Wigg A, Cummins A. Reply: *letter*, **596**
Wigg AJ, Cummins AG. Reply: *letter*, **313**
Wight DGD *see* Walsh KM *et al*
Wijnhoud A *see* Janssen HLA *et al*
Wildi S *et al.* Overexpression of activin A in stage IV colorectal cancer, **409**
Willén R *see* Wadström T *et al*
Williams EJ *et al.* Relaxin inhibits effective collagen deposition by cultured hepatic stellate cells and decreases rat liver fibrosis in vivo, **577**
Williams JA *see* Tashiro M *et al*
Williamson A *see* Farthing MJG and Williamson A
Williamson RCN *see* Sirivatanauksorn Y *et al*
Wilmer A *see* Piessevaux H *et al*
Wilson J *see* Sutton P *et al*
Wolf C *et al.* Prolonged measurement of lower oesophageal sphincter function in patients with intestinal metaplasia at the oesophagogastric junction, **354**
Wolk A *see* Terry P *et al*
Wong F *et al.* Sodium homeostasis with chronic sodium loading in preascitic cirrhosis, **847**
The cardiac response to exercise in cirrhosis, **268**
Woodall T *see* Walsh KM *et al*
Woodman AC *see* Hall PA *et al*
Woolner J *see* Leiper K *et al*
Wright MC *see* Vincent KJ *et al*

Yafi FANE *see* Louis E *et al*
Yamaji Y *et al.* Inverse background of *Helicobacter pylori* antibody and pepsinogen in reflux oesophagitis compared with gastric cancer: analysis of 5732 Japanese subjects, **335**
Yao H *see* Tashiro M *et al*
Yasuda I *et al.* Can endoscopic papillary balloon dilation really preserve sphincter of Oddi function?, **686**
Ye W *et al.* Risk of pancreatic cancer after cholecystectomy: a cohort study in Sweden, **678**
Yokouchi K *see* Yamaji Y *et al*
Yoshida H *see* Mitsuno Y *et al*
see Yamaji Y *et al*
Young LJ *see* Bytzer P *et al*
Ysebaert D *see* Hesse U *et al*

Zágoni T *see* Nemetz A *et al*
Zhao Y *see* Juul SE *et al*
Zondervan PE *see* Vleggaar FP *et al*
Zouali H *see* Parkes M *et al*
Zukermann M *see* Cetta F *et al*P S

VOLUME 49 • SUBJECT INDEX

5-fluorouracil, Intestinal permeability: the cellobiose/mannitol test: *letter,* **312**

5-hydroxytryptamine, Involvement of nerves and calcium channels in the intestinal response to *Clostridium difficile* toxin A: an experimental study in rats in vivo, **56**

5T allele, Evaluation of the role of CFTR in alcohol related pancreatic disease: *letter,* **312**

7α-dehydroxylation, Bile acid metabolism by fresh human colonic contents: a comparison of caecal versus faecal samples, **835**

abstracts, Research outcomes in British gastroenterology: an audit of the subsequent full publication of abstracts presented at the British Society of Gastroenterology: *letter,* **154**

acetylcholine, Inhibitory motor innervation of the gall bladder musculature by intrinsic neurones containing nitric oxide in the Australian Brush-tailed possum (*Trichosurus vulpecula*), **692**

acetylcholine receptor, Interaction of human chagasic IgG with human colon muscarinic acetylcholine receptor: molecular and functional evidence, **699**

achalasia, Prolonged manometric recordings of oesophagus and lower oesophageal sphincter in achalasia patients, **813**

acid reflux, Cardiac autonomic function and oesophageal acid sensitivity in patients with non-cardiac chest pain, **706**

acid secretion, *Helicobacter pylori* infection prevents erosive reflux oesophagitis by decreasing gastric acid secretion, **330**

acid suppression, Drug treatments in upper gastrointestinal bleeding: value of endoscopic findings as surrogate end points, **372**

acromegaly, Effects of cisapride on gall bladder emptying, intestinal transit, and serum deoxycholate: a prospective, randomised, double blind, placebo controlled trial, **828**

actin cytoskeleton, Arginine induced acute pancreatitis alters the actin cytoskeleton and increases heat shock protein expression in rat pancreatic acinar cells, **241**

activin βA, Overexpression of activin A in stage IV colorectal cancer, **409**

acute alcoholic pancreatitis, Effect of somatostatin on the sphincter of Oddi in patients with acute non-biliary pancreatitis, **843**

adefovir, Acute liver graft failure due to emergence of lamivudine resistant hepatitis B virus: rapid resolution during treatment with adefovir, **860**

adefovir dipivoxil, Successful treatment with adefovir dipivoxil in a patient with fibrosing cholestatic hepatitis and lamivudine resistant hepatitis B virus, **436**

adenocarcinoma, Analysis of *iceA* genotypes in South African *Helicobacter pylori* strains and relationship to clinically significant disease, **629**

Expression of the p53 homologue p63α and ΔNp63α in the neoplastic sequence of Barrett's oesophagus: correlation with morphology and p53 protein, **618**

H pylori: the bug is not all bad: *review,* **319**

adenoma, Risks, costs, and compliance limit colorectal adenoma surveillance: lessons from a randomised trial, **91**

Variability in the severity of colonic disease in familial adenomatous polyposis results from differences in tumour initiation rather than progression and depends relatively little on patient age, **540**

age, Age and alarm symptoms do not predict endoscopic findings among patients with dyspepsia: a multicentre database study, **29**

Alagille syndrome, Outcome of liver disease in children with Alagille syndrome: a study of 163 patients, **431**

alanine, Evidence for altered hepatic gluconeogenesis in patients with cirrhosis using in vivo 31-phosphorus magnetic resonance spectroscopy, **557**

alcohol, Heavy drinking greatly increases the risk of cirrhosis in patients with HCV hepatitis: *review,* **750**

Increased rectal cell proliferation following alcohol abuse, **418**

aminosalicylate, Aminosalicylate as prophylaxis for Crohn's disease: *letter,* **873**

aminosalicylic acid, Low dose balsalazide (1.5 g twice daily) and mesalazine (0.5 g three times daily) maintained remission of ulcerative colitis but high dose balsalazide (3.0 g twice daily) was superior in preventing relapses, **783**

ammonia, Evidence for altered hepatic gluconeogenesis in patients with cirrhosis using in vivo 31-phosphorus magnetic resonance spectroscopy, **557**

angiotensin converting enzyme inhibitors, Angiotensin converting enzyme inhibitors and angiotensin II antagonists as therapy in chronic liver disease: *review,* **303**

angiotensin II antagonists, Angiotensin converting enzyme inhibitors and angiotensin II antagonists as therapy in chronic liver disease: *review,* **303**

antibiotics, Probiotics in Crohn's disease: *letter,* **873**

antibodies, Interaction of human chagasic IgG with human colon muscarinic acetylcholine receptor: molecular and functional evidence, **699**

anti-D spontaneous viral clearance, The natural course of hepatitis C virus infection after 22 years in a unique homogenous cohort: spontaneous viral clearance and chronic HCV infection, **423**

antiendomysial antibodies, Guinea pig transglutaminase immunolinked assay does not predict coeliac disease in patients with chronic liver disease, **506**

antiendomysium antibody, Is coeliac disease a confounding factor in the diagnosis of NASH?: *letter,* **596**

anti-inflammatory cytokines, Measurement of tumour necrosis factor α: *letter,* **454**

antimicrobial peptide, Expression of human β-defensin 2 (hBD-2) in *Helicobacter pylori* induced gastritis: antibacterial effect of hBD-2 against *Helicobacter pylori,* **481**

antioxidants, Beyond acid suppressants in gastro-oesophageal reflux disease: *review,* **320**

Oxidative stress is more important than acid in the pathogenesis of reflux oesophagitis in rats, **364**

antireflux surgery, Counting the cost of proton pump inhibitors: *commentary,* **462**

The cost of long term therapy for gastro-oesophageal reflux disease: a randomised trial comparing omeprazole and open antireflux surgery, **488**

antireflux therapy, Should we eradicate *Helicobacter pylori* before long term antireflux therapy?, **614**

Should we eradicate *Helicobacter pylori* before long term antireflux therapy?, **616**

antitissue transglutaminase antibodies, Guinea pig transglutaminase immunolinked assay does not predict coeliac disease in patients with chronic liver disease, **506**

AP-1, *Helicobacter pylori* induced transactivation of SRE and AP-1 through the ERK signalling pathway in gastric cancer cells, **18**

APC, Variability in the severity of colonic disease in familial adenomatous polyposis results from differences in tumour initiation rather than progression and depends relatively little on patient age, **540**

apoptosis, Decreased Bax expression by mucosal T cells favours resistance to apoptosis in Crohn's disease, **35**

Effects of cellular redox balance on induction of apoptosis by eicosapentaenoic acid in HT29 colorectal adenocarcinoma cells and rat colon in vivo, **97**

Identification of novel molecules and pathogenic pathways in primary biliary cirrhosis: cDNA array analysis of intrahepatic differential gene expression, **565**

Interferon γ inhibits growth of human pancreatic carcinoma cells via caspase-1 dependent induction of apoptosis, **251**

Intraepithelial and lamina propria lymphocytes show distinct patterns of apoptosis whereas both populations are active in Fas based cytotoxicity in coeliac disease, **380**

Surviving too long in Crohn's disease: *review,* **6**

arbitrarily primed-polymerase chain reaction, Genomic homogeneity in fibrolamellar carcinomas, **82**

arterial compliance, High arterial compliance in cirrhosis is related to low adrenaline and elevated circulating calcitonin gene related peptide but not to activated vasoconstrictor systems, **112**

asthma, Temporal associations between coughing or wheezing and acid reflux in asthmatics, **767**

atrophic gastritis, Inverse background of *Helicobacter pylori* antibody and pepsinogen in reflux oesophagitis compared with gastric cancer: analysis of 5732 Japanese subjects, **335**

audit, Research outcomes in British gastroenterology: an audit of the subsequent full publication of abstracts presented at the British Society of Gastroenterology: *letter,* **154**

autoantibodies, Antiphospholipid antibodies associated with alcoholic liver disease specifically recognise oxidised phospholipids, **852**

Induction of multiple autoantibodies to islet cell antigens during treatment with interferon alpha for chronic hepatitis C: *letter,* **596**

autoimmune disorders, Duration of gluten exposure in adult coeliac disease does not correlate with the risk for autoimmune disorders, **502**

The external world of gluten and autoimmunity: *commentary,* **463**

autoimmune hepatitis, Autoimmune hepatitis and its variant syndromes: *review,* **589**

autoimmune liver diseases, Tumour necrosis factor α impairs function of liver derived T lymphocytes and natural killer cells in patients with primary sclerosing cholangitis, **131**

autoimmunity, Guinea pig transglutaminase immunolinked assay does not predict coeliac disease in patients with chronic liver disease, **506**

autonomic innervation, Descartes and the gut: "I'm pink therefore I am": *review,* **165**

Response to a behavioural treatment, biofeedback, in constipated patients is associated with improved gut transit and autonomic innervation, **214**

autonomic nervous system, Cardiac autonomic function and oesophageal acid sensitivity in patients with non-cardiac chest pain, **706**

azathioprine, Leucopenia resulting from a drug interaction between azathioprine or 6-mercaptopurine and mesalamine, sulphasalazine, or balsalazide, **656**

Measurement of thiopurine methyltransferase activity and azathioprine metabolites in patients with inflammatory bowel disease, **665**

Why measure thiopurine methyltransferase activity? Direct administration of 6-thioguanine might be the alternative for 6-mercaptopurine or azathioprine: *letter,* **874**

B cell, Human gastric B cell responses can be induced by intestinal immunisation, **512**

bacterial antagonism, *Escherichia coli* strains colonising the gastrointestinal tract protect germfree mice against *Salmonella typhimurium* infection, **47**

balsalazide, Leucopenia resulting from a drug interaction between azathioprine or 6-mercaptopurine and mesalamine, sulphasalazine, or balsalazide, **656**

Low dose balsalazide (1.5 g twice daily) and mesalazine (0.5 g three times daily) maintained remission of ulcerative colitis but high dose balsalazide (3.0 g twice daily) was superior in preventing relapses, **783**

barostat, Perception of changes in wall tension of the proximal stomach in humans, **203**

Barrett's oesophagus, Bile reflux gastritis and Barrett's oesophagus: further evidence of a role for duodenogastro-oesophageal reflux?, **359**

Cytokeratin immunoreactivity of intestinal metaplasia at normal oesophagogastric junction indicates its aetiology, **761**

Expression of the p53 homologue p63α and ΔNp63α in the neoplastic sequence of Barrett's oesophagus: correlation with morphology and p53 protein, **618**

Pathological documentation of complete elimination of Barrett's metaplasia following endoscopic multipolar electrocoagulation therapy, **142**

The continuing tale of cytokeratins in Barrett's mucosa: *As you like it*: *review,* **746**

basic helix-loop-helix transcription factors, Regulation of E-box DNA binding during in vivo and in vitro activation of rat and human hepatic stellate cells, **713**

Bcl-2 family proteins, Decreased Bax expression by mucosal T cells favours resistance to apoptosis in Crohn's disease, **35**

Surviving too long in Crohn's disease: *review,* **6**

Behçet's syndrome, Treatment of intestinal Behçet's syndrome with chimeric tumour necrosis factor α antibody, **725**

β blockers, Drug therapy for portal hypertension: *review,* **441**

β_2 glycoprotein 1, Antiphospholipid antibodies associated with alcoholic liver disease specifically recognise oxidised phospholipids, **852**

bibliometrics, International gastroenterology research: subject areas, impact, and funding, **295**

bile, Bile reflux gastritis and Barrett's oesophagus: further evidence of a role for duodenogastro-oesophageal reflux?, **359**

bile acids, New horizons in the regulation of bile acid and lipid homeostasis: critical role of the nuclear receptor FXR as an intracellular bile acid sensor: *review,* **465**

biliary epithelial cells, Tumour necrosis factor α impairs function of liver derived T lymphocytes and natural killer cells in patients with primary sclerosing cholangitis, **131**

BIM26226, GRP and Pavlov's dogs: *commentary,* **5**

Regulation of gastric function by endogenous gastrin releasing peptide in humans: studies with a specific gastrin releasing peptide receptor antagonist, **23**

biofeedback, Descartes and the gut: "I'm pink therefore I am": *review,* **165**

Response to a behavioural treatment, biofeedback, in constipated patients is associated with improved gut transit and autonomic innervation, **214**

birth defects, Coeliac disease and birth defects in offspring: *letter,* **738**

birth weight, Coeliac disease in the father affects the newborn, **169**

The father figure in coeliac disease: *review,* **163**

bleeding ulcers, Intravenous omeprazole after endoscopic treatment of bleeding peptic ulcers: *review,* **610**

body mass index, Gastric leptin and *Helicobacter pylori* infection, **324**

bone density, Allelic variation at the interleukin 1β gene is associated with decreased bone mass in patients with inflammatory bowel diseases, **644**

brain derived neurotrophic factor, Identification of novel molecules and pathogenic pathways in primary biliary cirrhosis: cDNA array analysis of intrahepatic differential gene expression, **565**

breast milk, Erythropoietin acts as a trophic factor in neonatal rat intestine, **182**

British Society of Gastroenterology, Research outcomes in British gastroenterology: an audit of the subsequent full publication of abstracts presented at the British Society of Gastroenterology: *letter,* **154**

cadherins, LI-cadherin: a marker of gastric metaplasia and neoplasia, **73**

The subtleties of intestinal metaplasia: *review,* **8**

***cag* pathogenicity island PAI,** *Helicobacter pylori* **induced transactivation of SRE and AP-1 through the ERK signalling pathway in gastric cancer cells, 18**

cagA, Conservation of thecag **pathogenicity island is associated withvacA alleles and gastroduodenal disease in South AfricanHelicobacter pylori isolates, 11**

cagA$^+$, The significance of *cagA$^+$ Helicobacter pylori* in reflux oesophagitis, **341**

calcitonin gene related peptide, High arterial compliance in cirrhosis is related to low adrenaline and elevated circulating calcitonin gene related peptide but not to activated vasoconstrictor systems, **112**

calprotectin, Faecal calprotectin and faecal occult blood tests in the diagnosis of colorectal carcinoma and adenoma, **402**

carcinogenesis, LI-cadherin: a marker of gastric metaplasia and neoplasia, **73**

The subtleties of intestinal metaplasia: *review,* **8**

cardia, Cytokeratin immunoreactivity of intestinal metaplasia at normal oesophagogastric junction indicates its aetiology, **761**

The continuing tale of cytokeratins in Barrett's mucosa: *As you like it*: *review,* **746**

cardia cancer, Gastric cancer and *Helicobacter pylori*: a combined analysis of 12 case control studies nested within prospective cohorts, **347**

caspase, Effects of cellular redox balance on induction of apoptosis by eicosapentaenoic acid in HT29 colorectal adenocarcinoma cells and rat colon in vivo, **97**

caspase-1;interferon regulatory factor, Interferon γ inhibits growth of human pancreatic carcinoma cells via caspase-1 dependent induction of apoptosis, **251**

catecholamines, High arterial compliance in cirrhosis is related to low adrenaline and elevated circulating calcitonin gene related peptide but not to activated vasoconstrictor systems, **112**

CD155, Overexpression of the *CD155* gene in human colorectal carcinoma, **236**

celecoxib, Acute gastrointestinal permeability responses to different non-steroidal anti-inflammatory drugs, **650**

cell proliferation, Interleukin 2 modulates ion secretion and cell proliferation in cultured human small intestinal enterocytes, **636**

chagasic megacolon, Interaction of human chagasic IgG with human colon muscarinic acetylcholine receptor: molecular and functional evidence, **699**

chemokines, MIP-2 secreted by epithelial cells increases neutrophil and lymphocyte recruitment in the mouse intestine, **526**

chemotaxis, Interleukin 16 expression and phenotype of interleukin 16 producing cells in Crohn's disease, **795**

Monocytes or T cells in Crohn's disease: does IL-16 allow both to play at that game?: *commentary,* **747**

childbirth, Reinnervation after childbirth—a new paradigm for sensory bowel symptoms?: *letter,* **597**

cholecystectomy, Risk of pancreatic cancer after cholecystectomy: a cohort study in Sweden, **678**

cholecystokinin, Leptin in the human stomach: *letter,* **155**

cholera toxin, Involvement of nerves and calcium channels in the intestinal response to *Clostridium difficile* toxin A: an experimental study in rats in vivo, **56**

cholestasis, Jaundice in non-cirrhotic primary biliary cirrhosis: the premature ductopenic variant, **276**

Outcome of liver disease in children with Alagille syndrome: a study of 163 patients, **431**

cholestatic liver disease, New horizons in the regulation of bile acid and lipid homeostasis: critical role of the nuclear receptor FXR as an intracellular bile acid sensor: *review,* **465**

chromosome 12, Ulcerative colitis is more strongly linked to chromosome 12 than Crohn's disease: *letter,* **311**

chromosome 3, Chromosome 3p and inflammatory bowel disease: *letter,* **455**

chronic hepatitis, Interferon responsiveness in patients infected with hepatitis C virus 1b differs depending on viral subtype, **263**

chronic pancreatitis, Evaluation of the role of CFTR in alcohol related pancreatic disease: *letter,* **312**

cirrhosis, Evidence for altered hepatic gluconeogenesis in patients with cirrhosis using in vivo 31-phosphorus magnetic resonance spectroscopy, **557**

Heavy drinking greatly increases the risk of cirrhosis in patients with HCV hepatitis: *review,* **750**

Improving prognosis following a first variceal haemorrhage over four decades, **682**

Life, death, and varices: *review,* **607**

The cardiac response to exercise in cirrhosis, **268**

cisapride, Effects of cisapride on gall bladder emptying, intestinal transit, and serum deoxycholate: a prospective, randomised, double blind, placebo controlled trial, **828**

***Clostridium difficile* toxin A,** Serum antibody responses to *Clostridium difficile* toxin A: predictive and protective?: *review,* **167**

***Clostridium difficile*,** Classification of oesophageal motility abnormalities: *review,* **145**

coeliac disease, Coeliac disease and birth defects in offspring: *letter,* **738**
Coeliac disease in the father affects the newborn, **169**
Duration of gluten exposure in adult coeliac disease does not correlate with the risk for autoimmune disorders, **502**
Guinea pig transglutaminase immunolinked assay does not predict coeliac disease in patients with chronic liver disease, **506**
Intraepithelial and lamina propria lymphocytes show distinct patterns of apoptosis whereas both populations are active in Fas based cytotoxicity in coeliac disease, **380**
Is coeliac disease a confounding factor in the diagnosis of NASH?: *letter,* **596**
Keratinocyte growth factor and coeliac disease, **176**
Recurrent diarrhoea and weight loss associated with cessation of smoking in a patient with undiagnosed coeliac disease: *review,* **588**
The external world of gluten and autoimmunity: *commentary,* **463**
The father figure in coeliac disease: *review,* **163**
coffee drinking, Coffee consumption and risk of colorectal cancer in a population based prospective cohort of Swedish women, **87**
cohort studies, Coffee consumption and risk of colorectal cancer in a population based prospective cohort of Swedish women, **87**
Risk of pancreatic cancer after cholecystectomy: a cohort study in Sweden, **678**
colitis, Expression of nitric oxide synthases and effects of l-arginine and l-NMMA on nitric oxide production and fluid transport in collagenous colitis, **387**
Olsalazine is not superior to placebo in maintaining remission of inactive Crohn's colitis and ileocolitis: a double blind, parallel, randomised, multicentre study, **552**
collagenous colitis, Expression of nitric oxide synthases and effects of l-arginine and l-NMMA on nitric oxide production and fluid transport in collagenous colitis, **387**
colon, *SOX10* is abnormally expressed in aganglionic bowel of Hirschsprung's disease infants, **220**
colon contractility, Interaction of human chagasic IgG with human colon muscarinic acetylcholine receptor: molecular and functional evidence, **699**
colonoscopy, Measurement of the stiffness of endoscopes—a plea for commonality: *letter,* **154**
Risks, costs, and compliance limit colorectal adenoma surveillance: lessons from a randomised trial, **91**
Ulcerative colitis extent varies with time but endoscopic appearances may be deceptive: *review,* **322**
colorectal cancer, Bile acid metabolism by fresh human colonic contents: a comparison of caecal versus faecal samples, **835**
Effects of cellular redox balance on induction of apoptosis by eicosapentaenoic acid in HT29 colorectal adenocarcinoma cells and rat colon in vivo, **97**
Faecal calprotectin and faecal occult blood tests in the diagnosis of colorectal carcinoma and adenoma, **402**
Increased rectal cell proliferation following alcohol abuse, **418**
Intestinal permeability: the cellobiose/mannitol test: *letter,* **312**
Overexpression of activin A in stage IV colorectal cancer, **409**
Overexpression of the *CD155* gene in human colorectal carcinoma, **236**
Risks, costs, and compliance limit colorectal adenoma surveillance: lessons from a randomised trial, **91**
colorectal neoplasms, Coffee consumption and risk of colorectal cancer in a population based prospective cohort of Swedish women, **87**
colorectal surgery, Decision analysis in the surgical treatment of patients with familial adenomatous polyposis: a Dutch-Scandinavian collaborative study including 659 patients, **231**
commensal bacteria, Genomics at work: the global gene response to enteric bacteria: *review,* **612**
common bile duct stone, Can endoscopic papillary balloon dilation really preserve sphincter of Oddi function?, **686**
Can endoscopic papillary balloon dilation really preserve sphincter of Oddi function?: *review,* **608**
congestive gastropathy, Portal hypertensive gastropathy and gastric antral vascular ectasia (GAVE) syndrome: *review,* **866**
connective tissue growth factor, Identification of novel molecules and pathogenic pathways in primary biliary cirrhosis: cDNA array analysis of intrahepatic differential gene expression, **565**
constipation, Descartes and the gut: "I'm pink therefore I am": *review,* **165**
Relationship between psychological state and level of activity of extrinsic gut innervation in patients with a functional gut disorder, **209**
Response to a behavioural treatment, biofeedback, in constipated patients is associated with improved gut transit and autonomic innervation, **214**
controlled trial, Effects of a motilin receptor agonist (ABT-229) on upper gastrointestinal symptoms in type 1 diabetes mellitus: a randomised, double blind, placebo controlled trial, **395**
Crohn's disease, Allelic variation at the interleukin 1β gene is associated with decreased bone mass in patients with inflammatory bowel diseases, **644**
Aminosalicylate as prophylaxis for Crohn's disease: *letter,* **873**
Behaviour of Crohn's disease according to the Vienna classification: changing pattern over the course of the disease, **777**
Decreased Bax expression by mucosal T cells favours resistance to apoptosis in Crohn's disease, **35**
Diagnostic misclassification reduces the ability to detect linkage in inflammatory bowel disease genetic studies, **773**
Interleukin 10 (Tenovil) in the prevention of postoperative recurrence of Crohn's disease, **42**
Interleukin 16 expression and phenotype of interleukin 16 producing cells in Crohn's disease, **795**
NOD2 (CARD15), the first susceptibility gene for Crohn's disease: *review,* **752**
Methotrexate: a useful alternative in Crohn's disease?: *review,* **9**
Monocytes or T cells in Crohn's disease: does IL-16 allow both to play at that game?: *commentary,* **747**
Mucin gene expression in intestinal epithelial cells in Crohn's disease, **544**
Olsalazine is not superior to placebo in maintaining remission of inactive Crohn's colitis and ileocolitis: a double blind, parallel, randomised, multicentre study, **552**
Probiotics in Crohn's disease: *letter,* **873**
Protagonist: *Mycobacterium avium* subspecies *paratuberculosis* is a cause of Crohn's disease, **755**
Protagonist: *Mycobacterium avium* subspecies *paratuberculosis* is a cause of Crohn's disease, **755**
Surviving too long in Crohn's disease: *review,* **6**
Ulcerative colitis is more strongly linked to chromosome 12 than Crohn's disease: *letter,* **311**
Crohn's disease therapy, A randomised controlled trial of high versus low long chain triglyceride whole protein feed in active Crohn's disease, **790**
cyclin dependent kinase, After portal branch ligation in the rat, cellular proliferation in associated with selective induction of c-Ha-ras, p53, cyclin E, and Cdk2, **119**
cyclooxygenase 2, Cyclooxygenase 2—implications on maintenance of gastric mucosal integrity and ulcer healing: controversial issues and perspectives: *review,* **443**
cyclooxygenase 2 inhibitors, Cyclooxygenase 2—implications on maintenance of gastric mucosal integrity and ulcer healing: controversial issues and perspectives: *review,* **443**
cystic fibrosis transmembrane conductance regulator gene, Evaluation of the role of CFTR in alcohol related pancreatic disease: *letter,* **312**
cytokeratins, Arginine induced acute pancreatitis alters the actin cytoskeleton and increases heat shock protein expression in rat pancreatic acinar cells, **241**
Cytokeratin immunoreactivity of intestinal metaplasia at normal oesophagogastric junction indicates its aetiology, **761**
The continuing tale of cytokeratins in Barrett's mucosa: *As you like it*: *review,* **746**
cytokines, After portal branch ligation in the rat, cellular proliferation in associated with selective induction of c-Ha-ras, p53, cyclin E, and Cdk2, **119**
Tumour necrosis factor α impairs function of liver derived T lymphocytes and natural killer cells in patients with primary sclerosing cholangitis, **131**
cytotoxicity assay, Intraepithelial and lamina propria lymphocytes show distinct patterns of apoptosis whereas both populations are active in Fas based cytotoxicity in coeliac disease, **380**

decision analysis, Decision analysis in the surgical treatment of patients with familial adenomatous polyposis: a Dutch-Scandinavian collaborative study including 659 patients, **231**
delayed early proto-oncogenes, After portal branch ligation in the rat, cellular proliferation in associated with selective induction of c-Ha-ras, p53, cyclin E, and Cdk2, **119**
dengue virus, Dengue virus induced hepatitis with chronic calcific changes: *review,* **864**
deoxycholic acid, Bile acid metabolism by fresh human colonic contents: a comparison of caecal versus faecal samples, **835**
Effects of cisapride on gall bladder emptying, intestinal transit, and serum deoxycholate: a prospective, randomised, double blind, placebo controlled trial, **828**
development, Erythropoietin acts as a trophic factor in neonatal rat intestine, **182**
diabetic dyspepsia, What comes after macrolides and other motilin stimulants?: *leader,* **317**
diarrhoea, Classification of oesophageal motility abnormalities: *review,* **145**
Recurrent diarrhoea and weight loss associated with cessation of smoking in a patient with undiagnosed coeliac disease: *review,* **588**
Serum antibody responses to *Clostridium difficile* toxin A: predictive and protective?: *review,* **167**
dietary fat, A randomised controlled trial of high versus low long chain triglyceride whole protein feed in active Crohn's disease, **790**
direct medical costs, The cost of long term therapy for gastro-oesophageal reflux disease: a randomised trial comparing omeprazole and open antireflux surgery, **488**
DNA fingerprint, Genomic homogeneity in fibrolamellar carcinomas, **82**
drug costs, Reducing community dyspepsia drug costs: a controlled trial, **495**

ductopenia, Jaundice in non-cirrhotic primary biliary cirrhosis: the premature ductopenic variant, **276**
duodenogastro-oesophageal reflux, Bile reflux gastritis and Barrett's oesophagus: further evidence of a role for duodenogastro-oesophageal reflux?, **359**
dyspepsia, Age and alarm symptoms do not predict endoscopic findings among patients with dyspepsia: a multicentre database study, **29**
Effects of a motilin receptor agonist (ABT-229) on upper gastrointestinal symptoms in type 1 diabetes mellitus: a randomised, double blind, placebo controlled trial, **395**
Reducing community dyspepsia drug costs: a controlled trial, **495**
dysplasia, Expression of the p53 homologue p63α and ΔNp63α in the neoplastic sequence of Barrett's oesophagus: correlation with morphology and p53 protein, **618**

eicosapentaenoic acid, Effects of cellular redox balance on induction of apoptosis by eicosapentaenoic acid in HT29 colorectal adenocarcinoma cells and rat colon in vivo, **97**
end stage liver disease, Outcome of liver disease in children with Alagille syndrome: a study of 163 patients, **431**
endoscopes, Measurement of the stiffness of endoscopes—a plea for commonality: *letter,* **154**
endoscopic manometry, Can endoscopic papillary balloon dilation really preserve sphincter of Oddi function?, **686**
Can endoscopic papillary balloon dilation really preserve sphincter of Oddi function?: *review,* **608**
endoscopic papillary balloon dilation, Can endoscopic papillary balloon dilation really preserve sphincter of Oddi function?, **686**
Can endoscopic papillary balloon dilation really preserve sphincter of Oddi function?: *review,* **608**
endoscopic recurrence, Interleukin 10 (Tenovil) in the prevention of postoperative recurrence of Crohn's disease, **42**
endoscopic retrograde cholangiopancreatography, ERCP training: *letter,* **597**
The future of ERCP training in the UK: *letter,* **739**
endoscopic ultrasound, A systematic review of the staging performance of endoscopic ultrasound in gastro-oesophageal carcinoma, **534**
endoscopy, Age and alarm symptoms do not predict endoscopic findings among patients with dyspepsia: a multicentre database study, **29**
Intravenous omeprazole after endoscopic treatment of bleeding peptic ulcers: *review,* **610**
Pathological documentation of complete elimination of Barrett's metaplasia following endoscopic multipolar electrocoagulation therapy, **142**
Survey of informed consent for endoscopy: *letter,* **874**
Ulcerative colitis extent varies with time but endoscopic appearances may be deceptive: *review,* **322**
endothelin 1, High arterial compliance in cirrhosis is related to low adrenaline and elevated circulating calcitonin gene related peptide but not to activated vasoconstrictor systems, **112**
enteric bacteria, Genomics at work: the global gene response to enteric bacteria: *review,* **612**
enteric nervous system, Involvement of nerves and calcium channels in the intestinal response to *Clostridium difficile* toxin A: an experimental study in rats in vivo, **56**
SOX10 is abnormally expressed in aganglionic bowel of Hirschsprung's disease infants, **220**
enterocytes, Erythropoietin acts as a trophic factor in neonatal rat intestine, **182**
Interleukin 2 modulates ion secretion and cell proliferation in cultured human small intestinal enterocytes, **636**
enteropathy-type intestinal T cell lymphoma, Frequency of clonal intraepithelial T lymphocyte proliferations in enteropathy-type intestinal T cell lymphoma, coeliac disease, and refractory sprue, **804**
epithelial cells, MIP-2 secreted by epithelial cells increases neutrophil and lymphocyte recruitment in the mouse intestine, **526**
erosive oesophagitis, Temporal associations between coughing or wheezing and acid reflux in asthmatics, **767**
erythromycin, Perception of changes in wall tension of the proximal stomach in humans, **203**
erythropoietin, Erythropoietin acts as a trophic factor in neonatal rat intestine, **182**
Escherichia coli, *Escherichia coli* strains colonising the gastrointestinal tract protect germfree mice against *Salmonella typhimurium* infection, **47**
ethanol, Antiphospholipid antibodies associated with alcoholic liver disease specifically recognise oxidised phospholipids, **852**
European Organisation for Research and Treatment of Cancer, The prognostic value of quality of life scores during treatment for oesophageal cancer, **227**
excitatory/inhibitory neurotransmission, Inhibitory motor innervation of the gall bladder musculature by intrinsic neurones containing nitric oxide in the Australian Brush-tailed possum (*Trichosurus vulpecula*), **692**
exercise tolerance, The cardiac response to exercise in cirrhosis, **268**
experimental pancreatitis, Arginine induced acute pancreatitis alters the actin cytoskeleton and increases heat shock protein expression in rat pancreatic acinar cells, **241**
extrahepatic portal vein thrombosis, Extrahepatic portal vein thrombosis: aetiology and determinants of survival, **720**

ΔF508 mutation, Evaluation of the role of CFTR in alcohol related pancreatic disease: *letter,* **312**
faecal occult blood testing, Faecal calprotectin and faecal occult blood tests in the diagnosis of colorectal carcinoma and adenoma, **402**
familial adenomatous polyposis, Decision analysis in the surgical treatment of patients with familial adenomatous polyposis: a Dutch-Scandinavian collaborative study including 659 patients, **231**
Variability in the severity of colonic disease in familial adenomatous polyposis results from differences in tumour initiation rather than progression and depends relatively little on patient age, **540**
Fas/Fas ligand system, Intraepithelial and lamina propria lymphocytes show distinct patterns of apoptosis whereas both populations are active in Fas based cytotoxicity in coeliac disease, **380**
fat, Duodenal fat intensifies the perception of heartburn, **624**
father, Coeliac disease in the father affects the newborn, **169**
The father figure in coeliac disease: *review,* **163**
ferritin, Phenotypic expression of the HFE gene mutation (C282Y) among the hospitalised population: *letter,* **156**
fibrinolysis, Drug treatments in upper gastrointestinal bleeding: value of endoscopic findings as surrogate end points, **372**
fibrolamellar carcinoma, Genomic homogeneity in fibrolamellar carcinomas, **82**
fibrosing cholestatic hepatitis, Successful treatment with adefovir dipivoxil in a patient with fibrosing cholestatic hepatitis and lamivudine resistant hepatitis B virus, **436**
fibrosis, Identification of novel molecules and pathogenic pathways in primary biliary cirrhosis: cDNA array analysis of intrahepatic differential gene expression, **565**
fine mapping, Chromosome 3p and inflammatory bowel disease: *letter,* **455**
fistulae, The relevance of gastrointestinal fistulae in clinical practice: a review, **2**
Intestinal permeability: the cellobiose/mannitol test: *letter,* **312**
functional dyspepsia, *H pylori* and functional dyspepsia: *letter,* **738**
What comes after macrolides and other motilin stimulants?: *leader,* **317**
functional gastrointestinal disorders, Low socioeconomic class is a risk factor for upper and lower gastrointestinal symptoms: a population based study in 15 000 Australian adults, **66**
funding, International gastroenterology research: subject areas, impact, and funding, **295**
FXR/BAR, New horizons in the regulation of bile acid and lipid homeostasis: critical role of the nuclear receptor FXR as an intracellular bile acid sensor: *review,* **465**

gall bladder, Inhibitory motor innervation of the gall bladder musculature by intrinsic neurones containing nitric oxide in the Australian Brush-tailed possum (*Trichosurus vulpecula*), **692**
gall bladder stones, Effects of cisapride on gall bladder emptying, intestinal transit, and serum deoxycholate: a prospective, randomised, double blind, placebo controlled trial, **828**
gall stones, Bile acid metabolism by fresh human colonic contents: a comparison of caecal versus faecal samples, **835**
gastric acid secretion, GRP and Pavlov's dogs: *commentary,* **5**
Regulation of gastric function by endogenous gastrin releasing peptide in humans: studies with a specific gastrin releasing peptide receptor antagonist, **23**
gastric antral vascular ectasia, Portal hypertensive gastropathy and gastric antral vascular ectasia (GAVE) syndrome: *review,* **866**
gastric atrophy, Prospects for intervention in gastric carcinogenesis: reversibility of gastric atrophy and intestinal metaplasia: *leader,* **2**
gastric cancer, Conservation of thecag pathogenicity island is associated withvacA alleles and gastroduodenal disease in South AfricanHelicobacter pylori isolates, **11**
Gastric cancer and *Helicobacter pylori*: a combined analysis of 12 case control studies nested within prospective cohorts, **347**
Inverse background of *Helicobacter pylori* antibody and pepsinogen in reflux oesophagitis compared with gastric cancer: analysis of 5732 Japanese subjects, **335**
Helicobacter pylori induced transactivation of SRE and AP-1 through the ERK signalling pathway in gastric cancer cells, **18**
Prospects for intervention in gastric carcinogenesis: reversibility of gastric atrophy and intestinal metaplasia: *leader,* **2**
The African enigma: the parasite's perspective: *letter,* **156**
gastric emptying, What comes after macrolides and other motilin stimulants?: *leader,* **317**
gastric function, GRP and Pavlov's dogs: *commentary,* **5**
Regulation of gastric function by endogenous gastrin releasing peptide in humans: studies with a specific gastrin releasing peptide receptor antagonist, **23**
gastric injury, Acute gastrointestinal permeability responses to different non-steroidal anti-inflammatory drugs, **650**

gastric lymphoma, Regression of gastric high grade mucosa associated lymphoid tissue (MALT) lymphoma after *Helicobacter pylori* eradication, **584**
gastric motility, Effects of a motilin receptor agonist (ABT-229) on upper gastrointestinal symptoms in type 1 diabetes mellitus: a randomised, double blind, placebo controlled trial, **395**
gastric mucin, *Helicobacter pylori* and two ultrastructurally distinct layers of gastric mucous cell mucins in the surface mucous gel layer, **474**
gastric mucosa, Gastric leptin and *Helicobacter pylori* infection, **324**
gastrin, GRP and Pavlov's dogs: *commentary*, **5**
Regulation of gastric function by endogenous gastrin releasing peptide in humans: studies with a specific gastrin releasing peptide receptor antagonist, **23**
gastrin releasing peptide, GRP and Pavlov's dogs: *commentary*, **5**
Regulation of gastric function by endogenous gastrin releasing peptide in humans: studies with a specific gastrin releasing peptide receptor antagonist, **23**
gastritis, Analysis of *iceA* genotypes in South African *Helicobacter pylori* strains and relationship to clinically significant disease, **629**
Expression of human β-defensin 2 (hBD-2) in *Helicobacter pylori* induced gastritis: antibacterial effect of hBD-2 against *Helicobacter pylori*, **481**
Gastric leptin and *Helicobacter pylori* infection, **324**
Should we eradicate *Helicobacter pylori* before long term antireflux therapy?, **614**
Should we eradicate *Helicobacter pylori* before long term antireflux therapy?, **616**
The African enigma: the parasite's perspective: *letter*, **156**
gastrointestinal bleeding, Drug therapy for portal hypertension: *review*, **441**
gastrointestinal fistulae, Gastrointestinal fistulae: *leader*, **1**
Optimising the treatment of upper gastrointestinal fistulae, **22**
Role of somatostatin-14 and its analogues in the management of gastrointestinal fistulae: clinical data, **11**
The relevance of gastrointestinal fistulae in clinical practice: a review, **2**
gastrointestinal haemorrhage, Portal hypertensive gastropathy and gastric antral vascular ectasia (GAVE) syndrome: *review*, **866**
gastrointestinal infection, *Escherichia coli* strains colonising the gastrointestinal tract protect germfree mice against *Salmonella typhimurium* infection, **47**
gastrointestinal surgery, Optimising the treatment of upper gastrointestinal fistulae, **22**
The relevance of gastrointestinal fistulae in clinical practice: a review, **2**
gastro-oesophageal cancer, A systematic review of the staging performance of endoscopic ultrasound in gastro-oesophageal carcinoma, **534**
gastro-oesophageal reflux, Prolonged measurement of lower oesophageal sphincter function in patients with intestinal metaplasia at the oesophagogastric junction, **354**
gastro-oesophageal reflux disease, Beyond acid suppressants in gastro-oesophageal reflux disease: *review*, **320**
Counting the cost of proton pump inhibitors: *commentary*, **462**
Duodenal fat intensifies the perception of heartburn, **624**
Inverse background of *Helicobacter pylori* antibody and pepsinogen in reflux oesophagitis compared with gastric cancer: analysis of 5732 Japanese subjects, **335**
H pylori: the bug is not all bad: *review*, **319**
Helicobacter pylori infection prevents erosive reflux oesophagitis by decreasing gastric acid secretion, **330**
Should we eradicate *Helicobacter pylori* before long term antireflux therapy?, **614**
Should we eradicate *Helicobacter pylori* before long term antireflux therapy?, **616**
Temporal associations between coughing or wheezing and acid reflux in asthmatics, **767**
The cost of long term therapy for gastro-oesophageal reflux disease: a randomised trial comparing omeprazole and open antireflux surgery, **488**
The significance of *cagA*$^+$ *Helicobacter pylori* in reflux oesophagitis, **341**
GAVE syndrome, Portal hypertensive gastropathy and gastric antral vascular ectasia (GAVE) syndrome: *review*, **866**
general practitioners, Reducing community dyspepsia drug costs: a controlled trial, **495**
genetic heterogeneity, Histological and genetic heterogeneity in synchronous hepatocellular carcinoma: *letter*, **155**
genetic polymorphism, Association of the tumour necrosis factor α −308 but not the interleukin 10 −627 promoter polymorphism with genetic susceptibility to primary sclerosing cholangitis, **288**
Allelic variation at the interleukin 1β gene is associated with decreased bone mass in patients with inflammatory bowel diseases, **644**
genetics, Behaviour of Crohn's disease according to the Vienna classification: changing pattern over the course of the disease, **777**
Diagnostic misclassification reduces the ability to detect linkage in inflammatory bowel disease genetic studies, **773**
genomics, Genomics at work: the global gene response to enteric bacteria: *review*, **612**
genotype 1b, Interferon responsiveness in patients infected with hepatitis C virus 1b differs depending on viral subtype, **263**
germfree mice, *Escherichia coli* strains colonising the gastrointestinal tract protect germfree mice against *Salmonella typhimurium* infection, **47**
glucagon, Evidence for altered hepatic gluconeogenesis in patients with cirrhosis using in vivo 31-phosphorus magnetic resonance spectroscopy, **557**
gluconeogenesis, Evidence for altered hepatic gluconeogenesis in patients with cirrhosis using in vivo 31-phosphorus magnetic resonance spectroscopy, **557**
glutamine, Intestinal permeability: the cellobiose/mannitol test: *letter*, **312**
Intestinal permeability: the cellobiose/mannitol test: *letter*, **312**
glutathione, Effects of cellular redox balance on induction of apoptosis by eicosapentaenoic acid in HT29 colorectal adenocarcinoma cells and rat colon in vivo, **97**
guidelines, Clinical guidelines on the management of hepatitis C, **1**
Guidelines for the management of iron deficiency anaemia: *letter*, **158**
Small bowel biopsies in patients with iron deficiency anaemia: *letter*, **595**
gut function, Descartes and the gut: "I'm pink therefore I am": *review*, **165**
Relationship between psychological state and level of activity of extrinsic gut innervation in patients with a functional gut disorder, **209**
gut innervation, Relationship between psychological state and level of activity of extrinsic gut innervation in patients with a functional gut disorder, **209**
gut transit, Descartes and the gut: "I'm pink therefore I am": *review*, **165**
Response to a behavioural treatment, biofeedback, in constipated patients is associated with improved gut transit and autonomic innervation, **214**

haemochromatosis, Phenotypic expression of the HFE gene mutation (C282Y) among the hospitalised population: *letter*, **156**
handedness, Inflammatory bowel disease and laterality: is left handedness a risk?, **199**
heart rate variability, Cardiac autonomic function and oesophageal acid sensitivity in patients with non-cardiac chest pain, **706**
heartburn, Duodenal fat intensifies the perception of heartburn, **624**
heat shock proteins, Arginine induced acute pancreatitis alters the actin cytoskeleton and increases heat shock protein expression in rat pancreatic acinar cells, **241**
helicobacter, Non-pylori helicobacter species in humans: *leader*, **601**
***Helicobacter pylori*,** Analysis of *iceA* genotypes in South African *Helicobacter pylori* strains and relationship to clinically significant disease, **629**
Conservation of thecag pathogenicity island is associated withvacA alleles and gastroduodenal disease in South AfricanHelicobacter pylori isolates, **11**
Expression of human β-defensin 2 (hBD-2) in *Helicobacter pylori* induced gastritis: antibacterial effect of hBD-2 against *Helicobacter pylori*, **481**
Gastric cancer and *Helicobacter pylori*: a combined analysis of 12 case control studies nested within prospective cohorts, **347**
Gastric leptin and *Helicobacter pylori* infection, **324**
Helicobacter pylori and two ultrastructurally distinct layers of gastric mucous cell mucins in the surface mucous gel layer, **474**
Helicobacter pylori induced transactivation of SRE and AP-1 through the ERK signalling pathway in gastric cancer cells, **18**
Helicobacter pylori infection prevents erosive reflux oesophagitis by decreasing gastric acid secretion, **330**
H pylori and functional dyspepsia: *letter*, **738**
H pylori: the bug is not all bad: *review*, **319**
Homing commitment of lymphocytes activated in the human gastric and intestinal mucosa, **519**
Human gastric B cell responses can be induced by intestinal immunisation, **512**
Inverse background of *Helicobacter pylori* antibody and pepsinogen in reflux oesophagitis compared with gastric cancer: analysis of 5732 Japanese subjects, **335**
Non-pylori helicobacter species in humans: *leader*, **601**
Post-immunisation gastritis and *Helicobacter* infection in the mouse: a long term study, **467**
Primary biliary cirrhosis and primary sclerosing cholangitis are of infectious origin!: *letter*, **454**
Prospects for intervention in gastric carcinogenesis: reversibility of gastric atrophy and intestinal metaplasia: *leader*, **2**
Regression of gastric high grade mucosa associated lymphoid tissue (MALT) lymphoma after *Helicobacter pylori* eradication, **584**
Should we eradicate *Helicobacter pylori* before long term antireflux therapy?, **614**
Should we eradicate *Helicobacter pylori* before long term antireflux therapy?, **616**
The significance of *cagA*$^+$ *Helicobacter pylori* in reflux oesophagitis, **341**
The African enigma: the parasite's perspective: *letter*, **156**
helminth infection, The African enigma: the parasite's perspective: *letter*, **156**

hepatic fibrosis, Relaxin inhibits effective collagen deposition by cultured hepatic stellate cells and decreases rat liver fibrosis in vivo, **577**

hepatic stellate cell, Regulation of E-box DNA binding during in vivo and in vitro activation of rat and human hepatic stellate cells, **713**

Relaxin inhibits effective collagen deposition by cultured hepatic stellate cells and decreases rat liver fibrosis in vivo, **577**

hepatitis, Autoimmune hepatitis and its variant syndromes: *review*, **589**

Dengue virus induced hepatitis with chronic calcific changes: *review*, **864**

hepatitis B virus, Acute liver graft failure due to emergence of lamivudine resistant hepatitis B virus: rapid resolution during treatment with adefovir, **860**

Heavy drinking greatly increases the risk of cirrhosis in patients with HCV hepatitis: *review*, **750**

Successful treatment with adefovir dipivoxil in a patient with fibrosing cholestatic hepatitis and lamivudine resistant hepatitis B virus, **436**

hepatitis C, Induction of multiple autoantibodies to islet cell antigens during treatment with interferon alpha for chronic hepatitis C: *letter*, **596**

hepatitis C virus, Clinical guidelines on the management of hepatitis C, **1**

Heavy drinking greatly increases the risk of cirrhosis in patients with HCV hepatitis: *review*, **750**

Interferon responsiveness in patients infected with hepatitis C virus 1b differs depending on viral subtype, **263**

The natural course of hepatitis C virus infection after 22 years in a unique homogenous cohort: spontaneous viral clearance and chronic HCV infection, **423**

hepatocellular carcinoma, Clinical guidelines on the management of hepatitis C, **1**

Genomic homogeneity in fibrolamellar carcinomas, **82**

Histological and genetic heterogeneity in synchronous hepatocellular carcinoma: *letter*, **155**

hepatorenal syndrome, The hepatorenal syndrome: *review*, **729**

HFE gene mutation, Phenotypic expression of the HFE gene mutation (C282Y) among the hospitalised population: *letter*, **156**

hiatus hernia, The significance of *cagA*$^+$ *Helicobacter pylori* in reflux oesophagitis, **341**

hibernation, Changes in gut function during hibernation: implications for bowel transplantation and surgery: *leader*, **459**

Hirschsprung's disease, *SOX10* is abnormally expressed in aganglionic bowel of Hirschsprung's disease infants, **220**

histological changes, Ulcerative colitis extent varies with time but endoscopic appearances may be deceptive: *review*, **322**

HSP27, Arginine induced acute pancreatitis alters the actin cytoskeleton and increases heat shock protein expression in rat pancreatic acinar cells, **241**

human β-defensin 2, Expression of human β-defensin 2 (hBD-2) in *Helicobacter pylori* induced gastritis: antibacterial effect of hBD-2 against *Helicobacter pylori*, **481**

human immunodeficiency virus, Heavy drinking greatly increases the risk of cirrhosis in patients with HCV hepatitis: *review*, **750**

hypoxia, High arterial compliance in cirrhosis is related to low adrenaline and elevated circulating calcitonin gene related peptide but not to activated vasoconstrictor systems, **112**

iceA, Analysis of *iceA* genotypes in South African *Helicobacter pylori* strains and relationship to clinically significant disease, **629**

Id1, Regulation of E-box DNA binding during in vivo and in vitro activation of rat and human hepatic stellate cells, **713**

ileal pouch-anal anastomosis, High level perinuclear antineutrophil cytoplasmic antibody (pANCA) in ulcerative colitis patients before colectomy predicts the development of chronic pouchitis after ileal pouch-anal anastomosis, **671**

ileocolitis, Olsalazine is not superior to placebo in maintaining remission of inactive Crohn's colitis and ileocolitis: a double blind, parallel, randomised, multicentre study, **552**

immunisation, Post-immunisation gastritis and *Helicobacter* infection in the mouse: a long term study, **467**

immunoblastic lymphoma, Regression of gastric high grade mucosa associated lymphoid tissue (MALT) lymphoma after *Helicobacter pylori* eradication, **584**

immunoglobulin superfamily, Overexpression of the *CD155* gene in human colorectal carcinoma, **236**

immunohistochemistry, Expression of the p53 homologue p63α and ΔNp63α in the neoplastic sequence of Barrett's oesophagus: correlation with morphology and p53 protein, **618**

Helicobacter pylori and two ultrastructurally distinct layers of gastric mucous cell mucins in the surface mucous gel layer, **474**

impact, International gastroenterology research: subject areas, impact, and funding, **295**

indirect medical costs, The cost of long term therapy for gastro-oesophageal reflux disease: a randomised trial comparing omeprazole and open antireflux surgery, **488**

infection, Primary biliary cirrhosis and primary sclerosing cholangitis are of infectious origin!: *letter*, **454**

inflammation, Interleukin 16 expression and phenotype of interleukin 16 producing cells in Crohn's disease, **795**

Monocytes or T cells in Crohn's disease: does IL-16 allow both to play at that game?: *commentary*, **747**

The putative role of inflammation in the irritable bowel syndrome: *leader*, **743**

inflammatory bowel disease, Allelic variation at the interleukin 1β gene is associated with decreased bone mass in patients with inflammatory bowel diseases, **644**

Chromosome 3p and inflammatory bowel disease: *letter*, **455**

Decreased Bax expression by mucosal T cells favours resistance to apoptosis in Crohn's disease, **35**

Diagnostic misclassification reduces the ability to detect linkage in inflammatory bowel disease genetic studies, **773**

Expression of nitric oxide synthases and effects of l-arginine and l-NMMA on nitric oxide production and fluid transport in collagenous colitis, **387**

High level perinuclear antineutrophil cytoplasmic antibody (pANCA) in ulcerative colitis patients before colectomy predicts the development of chronic pouchitis after ileal pouch-anal anastomosis, **671**

Inflammatory bowel disease and laterality: is left handedness a risk?, **199**

Leucopenia resulting from a drug interaction between azathioprine or 6-mercaptopurine and mesalamine, sulphasalazine, or balsalazide, **656**

Loss of transforming growth factor β signalling in the intestine contributes to tissue injury in inflammatory bowel disease, **190**

Measurement of thiopurine methyltransferase activity and azathioprine metabolites in patients with inflammatory bowel disease, **665**

Probiotics in Crohn's disease: *letter*, **873**

Probiotics in IBD: *letter*, **873**

Signals on the immune tract: *commentary*, **164**

Surviving too long in Crohn's disease: *review*, **6**

The putative role of inflammation in the irritable bowel syndrome: *leader*, **743**

Ulcerative colitis is more strongly linked to chromosome 12 than Crohn's disease: *letter*, **311**

infliximab, Treatment of intestinal Behçet's syndrome with chimeric tumour necrosis factor α antibody, **725**

informed consent, Survey of informed consent for endoscopy: *letter*, **874**

inherited disorders, Phenotypic expression of the HFE gene mutation (C282Y) among the hospitalised population: *letter*, **156**

integrin α4β7, Homing commitment of lymphocytes activated in the human gastric and intestinal mucosa, **519**

interferon, Clinical guidelines on the management of hepatitis C, **1**

interferon alpha, Induction of multiple autoantibodies to islet cell antigens during treatment with interferon alpha for chronic hepatitis C: *letter*, **596**

interferon γ, Interferon γ inhibits growth of human pancreatic carcinoma cells via caspase-1 dependent induction of apoptosis, **251**

interferon sensitivity determining region, Interferon responsiveness in patients infected with hepatitis C virus 1b differs depending on viral subtype, **263**

interferon therapy, Interferon responsiveness in patients infected with hepatitis C virus 1b differs depending on viral subtype, **263**

interleukin 1, Allelic variation at the interleukin 1β gene is associated with decreased bone mass in patients with inflammatory bowel diseases, **644**

interleukin 10, Association of the tumour necrosis factor α −308 but not the interleukin 10 −627 promoter polymorphism with genetic susceptibility to primary sclerosing cholangitis, **288**

Interleukin 10 (Tenovil) in the prevention of postoperative recurrence of Crohn's disease, **42**

interleukin 16, Interleukin 16 expression and phenotype of interleukin 16 producing cells in Crohn's disease, **795**

Monocytes or T cells in Crohn's disease: does IL-16 allow both to play at that game?: *commentary*, **747**

interleukin 18, Gene expression of interleukin 18 in unstimulated peripheral blood mononuclear cells of patients with alcoholic cirrhosis, **106**

interleukin 2, Interleukin 2 modulates ion secretion and cell proliferation in cultured human small intestinal enterocytes, **636**

intestinal gene expression, Genomics at work: the global gene response to enteric bacteria: *review*, **612**

intestinal histology, Guinea pig transglutaminase immunolinked assay does not predict coeliac disease in patients with chronic liver disease, **506**

intestinal inflammation, Intestinal inflammation and activation of sensory nerve pathways: a functional and morphological study in the nematode infected rat, **822**

intestinal metaplasia, Bile reflux gastritis and Barrett's oesophagus: further evidence of a role for duodenogastro-oesophageal reflux?, **359**

Cytokeratin immunoreactivity of intestinal metaplasia at normal oesophagogastric junction indicates its aetiology, **761**

LI-cadherin: a marker of gastric metaplasia and neoplasia, **73**

Prolonged measurement of lower oesophageal sphincter function in patients with intestinal metaplasia at the oesophagogastric junction, **354**
Prospects for intervention in gastric carcinogenesis: reversibility of gastric atrophy and intestinal metaplasia: *leader*, **2**
The continuing tale of cytokeratins in Barrett's mucosa: *As you like it*: *review*, **746**
The subtleties of intestinal metaplasia: *review*, **8**
intestinal mucosa, MIP-2 secreted by epithelial cells increases neutrophil and lymphocyte recruitment in the mouse intestine, **526**
intestinal permeability, Alcohol, obesity, and TNF-α: *letter*, **313**
Is coeliac disease a confounding factor in the diagnosis of NASH?: *letter*, **596**
intestinal transplantation, Changes in gut function during hibernation: implications for bowel transplantation and surgery: *leader*, **459**
intestinal trefoil factor, Loss of transforming growth factor β signalling in the intestine contributes to tissue injury in inflammatory bowel disease, **190**
Signals on the immune tract: *commentary*, **164**
intraepithelial lymphocytes, Intraepithelial and lamina propria lymphocytes show distinct patterns of apoptosis whereas both populations are active in Fas based cytotoxicity in coeliac disease, **380**
ion secretion, Interleukin 2 modulates ion secretion and cell proliferation in cultured human small intestinal enterocytes, **636**
iron deficiency anaemia, Guidelines for the management of iron deficiency anaemia: *letter*, **158**
Small bowel biopsies in patients with iron deficiency anaemia: *letter*, **595**
irritable bowel syndrome, Indecision and irritable bowel: *letter*, **455**
Reinnervation after childbirth—a new paradigm for sensory bowel symptoms?: *letter*, **597**
The putative role of inflammation in the irritable bowel syndrome: *leader*, **743**

jaundice, Jaundice in non-cirrhotic primary biliary cirrhosis: the premature ductopenic variant, **276**

keratinocyte growth factor, Keratinocyte growth factor and coeliac disease, **176**

lamina propria lymphocytes, Intraepithelial and lamina propria lymphocytes show distinct patterns of apoptosis whereas both populations are active in Fas based cytotoxicity in coeliac disease, **380**
lamivudine, Acute liver graft failure due to emergence of lamivudine resistant hepatitis B virus: rapid resolution during treatment with adefovir, **860**
lansoprazole, Drug treatments in upper gastrointestinal bleeding: value of endoscopic findings as surrogate end points, **372**
large bowel transit time, Effects of cisapride on gall bladder emptying, intestinal transit, and serum deoxycholate: a prospective, randomised, double blind, placebo controlled trial, **828**
large intestine, Expression of nitric oxide synthases and effects of l-arginine and l-NMMA on nitric oxide production and fluid transport in collagenous colitis, **387**
laser capture microdissection, Genomic homogeneity in fibrolamellar carcinomas, **82**
leptin, Gastric leptin and *Helicobacter pylori* infection, **324**
Leptin in the human stomach: *letter*, **155**
leucocyte recruitment, MIP-2 secreted by epithelial cells increases neutrophil and lymphocyte recruitment in the mouse intestine, **526**
leucopenia, Leucopenia resulting from a drug interaction between azathioprine or 6-mercaptopurine and mesalamine, sulphasalazine, or balsalazide, **656**
linkage analysis, Diagnostic misclassification reduces the ability to detect linkage in inflammatory bowel disease genetic studies, **773**
Ulcerative colitis is more strongly linked to chromosome 12 than Crohn's disease: *letter*, **311**
lipid homeostasis, New horizons in the regulation of bile acid and lipid homeostasis: critical role of the nuclear receptor FXR as an intracellular bile acid sensor: *review*, **465**
lipid peroxidation, Antiphospholipid antibodies associated with alcoholic liver disease specifically recognise oxidised phospholipids, **852**
lipopolysaccharide, Gene expression of interleukin 18 in unstimulated peripheral blood mononuclear cells of patients with alcoholic cirrhosis, **106**
liver biopsy, Jaundice in non-cirrhotic primary biliary cirrhosis: the premature ductopenic variant, **276**
Liver biopsy: "blind" or under ultrasound control: *letter*, **157**
liver calcifications, Dengue virus induced hepatitis with chronic calcific changes: *review*, **864**
liver cirrhosis, Gene expression of interleukin 18 in unstimulated peripheral blood mononuclear cells of patients with alcoholic cirrhosis, **106**
Measurement of tumour necrosis factor α: *letter*, **454**
Osteoporosis in primary biliary cirrhosis revisited, **282**
liver disease, Angiotensin converting enzyme inhibitors and angiotensin II antagonists as therapy in chronic liver disease: *review*, **303**
Guinea pig transglutaminase immunolinked assay does not predict coeliac disease in patients with chronic liver disease, **506**
liver disease, The hepatorenal syndrome: *review*, **729**
liver fibrosis, Regulation of E-box DNA binding during in vivo and in vitro activation of rat and human hepatic stellate cells, **713**
liver graft, Acute liver graft failure due to emergence of lamivudine resistant hepatitis B virus: rapid resolution during treatment with adefovir, **860**
liver regeneration, After portal branch ligation in the rat, cellular proliferation in associated with selective induction of c-Ha-ras, p53, cyclin E, and Cdk2, **119**
liver transplantation, Outcome of liver disease in children with Alagille syndrome: a study of 163 patients, **431**
Successful treatment with adefovir dipivoxil in a patient with fibrosing cholestatic hepatitis and lamivudine resistant hepatitis B virus, **436**
lower oesophageal sphincter, Prolonged manometric recordings of oesophagus and lower oesophageal sphincter in achalasia patients, **813**
l-selectin, Homing commitment of lymphocytes activated in the human gastric and intestinal mucosa, **519**
lung disease, Temporal associations between coughing or wheezing and acid reflux in asthmatics, **767**
lymphocyte trafficking, Homing commitment of lymphocytes activated in the human gastric and intestinal mucosa, **519**
Human gastric B cell responses can be induced by intestinal immunisation, **512**
lymphoma, Regression of gastric high grade mucosa associated lymphoid tissue (MALT) lymphoma after *Helicobacter pylori* eradication, **584**

macrolides, What comes after macrolides and other motilin stimulants?: *leader*, **317**
manometry, Prolonged manometric recordings of oesophagus and lower oesophageal sphincter in achalasia patients, **813**
matrix metalloproteinases, Loss of transforming growth factor β signalling in the intestine contributes to tissue injury in inflammatory bowel disease, **190**
Signals on the immune tract: *commentary*, **164**
mechanoreceptors, Perception of changes in wall tension of the proximal stomach in humans, **203**
meloxican, Acute gastrointestinal permeability responses to different non-steroidal anti-inflammatory drugs, **650**
6-mercaptopurine, Leucopenia resulting from a drug interaction between azathioprine or 6-mercaptopurine and mesalamine, sulphasalazine, or balsalazide, **656**
Measurement of thiopurine methyltransferase activity and azathioprine metabolites in patients with inflammatory bowel disease, **665**
Why measure thiopurine methyltransferase activity? Direct administration of 6-thioguanine might be the alternative for 6-mercaptopurine or azathioprine: *letter*, **874**
mesalamine, Leucopenia resulting from a drug interaction between azathioprine or 6-mercaptopurine and mesalamine, sulphasalazine, or balsalazide, **656**
mesalazine, Low dose balsalazide (1.5 g twice daily) and mesalazine (0.5 g three times daily) maintained remission of ulcerative colitis but high dose balsalazide (3.0 g twice daily) was superior in preventing relapses, **783**
meta-analysis, A systematic review of the staging performance of endoscopic ultrasound in gastro-oesophageal carcinoma, **534**
methotrexate, Methotrexate: a useful alternative in Crohn's disease?: *review*, **9**
mice, New horizons in the regulation of bile acid and lipid homeostasis: critical role of the nuclear receptor FXR as an intracellular bile acid sensor: *review*, **465**
microadenoma, Variability in the severity of colonic disease in familial adenomatous polyposis results from differences in tumour initiation rather than progression and depends relatively little on patient age, **540**
modifier genes, Variability in the severity of colonic disease in familial adenomatous polyposis results from differences in tumour initiation rather than progression and depends relatively little on patient age, **540**
mortality, Extrahepatic portal vein thrombosis: aetiology and determinants of survival, **720**
International gastroenterology research: subject areas, impact, and funding, **295**
mother, Coeliac disease in the father affects the newborn, **169**
The father figure in coeliac disease: *review*, **163**
motilin, Effects of a motilin receptor agonist (ABT-229) on upper gastrointestinal symptoms in type 1 diabetes mellitus: a randomised, double blind, placebo controlled trial, **395**
What comes after macrolides and other motilin stimulants?: *leader*, **317**
motility, Inhibitory motor innervation of the gall bladder musculature by intrinsic neurones containing nitric oxide in the Australian Brush-tailed possum (*Trichosurus vulpecula*), **692**

mouse, Loss of transforming growth factor β signalling in the intestine contributes to tissue injury in inflammatory bowel disease, **190**
Signals on the immune tract: *commentary,* **164**
mRNA expression, Keratinocyte growth factor and coeliac disease, **176**
***MUC* genes,** Mucin gene expression in intestinal epithelial cells in Crohn's disease, **544**
mucins, Mucin gene expression in intestinal epithelial cells in Crohn's disease, **544**
mucosa associated lymphoid tissue, Regression of gastric high grade mucosa associated lymphoid tissue (MALT) lymphoma after *Helicobacter pylori* eradication, **584**
mucosal protection, Cyclooxygenase 2—implications on maintenance of gastric mucosal integrity and ulcer healing: controversial issues and perspectives: *review,* **443**
mucous neck cell, Prospects for intervention in gastric carcinogenesis: reversibility of gastric atrophy and intestinal metaplasia: *leader,* **2**
multipolar electrocoagulation, Pathological documentation of complete elimination of Barrett's metaplasia following endoscopic multipolar electrocoagulation therapy, **142**
Mycobacterium paratuberculosis, Protagonist: *Mycobacterium avium* subspecies *paratuberculosis* is a cause of Crohn's disease, **755**
Protagonist: *Mycobacterium avium* subspecies *paratuberculosis* is a cause of Crohn's disease, **755**
myeloperoxidase, Involvement of nerves and calcium channels in the intestinal response to *Clostridium difficile* toxin A: an experimental study in rats in vivo, **56**
myocardial function, The cardiac response to exercise in cirrhosis, **268**
MyoD, Regulation of E-box DNA binding during in vivo and in vitro activation of rat and human hepatic stellate cells, **713**

natural history, The natural course of hepatitis C virus infection after 22 years in a unique homogenous cohort: spontaneous viral clearance and chronic HCV infection, **423**
nematode infection, Intestinal inflammation and activation of sensory nerve pathways: a functional and morphological study in the nematode infected rat, **822**
neonate, Erythropoietin acts as a trophic factor in neonatal rat intestine, **182**
neurocristopathy, *SOX10* is abnormally expressed in aganglionic bowel of Hirschsprung's disease infants, **220**
neuroimmune interactions, Intestinal inflammation and activation of sensory nerve pathways: a functional and morphological study in the nematode infected rat, **822**
neurokinin receptors, Intestinal inflammation and activation of sensory nerve pathways: a functional and morphological study in the nematode infected rat, **822**
newborn, Coeliac disease in the father affects the newborn, **169**
The father figure in coeliac disease: *review,* **163**
nitric oxide, Expression of nitric oxide synthases and effects of l-arginine and l-NMMA on nitric oxide production and fluid transport in collagenous colitis, **387**
Inhibitory motor innervation of the gall bladder musculature by intrinsic neurones containing nitric oxide in the Australian Brush-tailed possum (*Trichosurus vulpecula*), **692**
nitric oxide synthase, Expression of nitric oxide synthases and effects of l-arginine and l-NMMA on nitric oxide production and fluid transport in collagenous colitis, **387**
NOD2, *NOD2 (CARD15),* the first susceptibility gene for Crohn's disease: *review,* **752**
non-alcoholic steatohepatitis, Alcohol, obesity, and TNF-α: *letter,* **313**
Is coeliac disease a confounding factor in the diagnosis of NASH?: *letter,* **596**
non-cardiac chest pain, Cardiac autonomic function and oesophageal acid sensitivity in patients with non-cardiac chest pain, **706**
non-steroidal anti-inflammatory drugs, Acute gastrointestinal permeability responses to different non-steroidal anti-inflammatory drugs, **650**
Cyclooxygenase 2—implications on maintenance of gastric mucosal integrity and ulcer healing: controversial issues and perspectives: *review,* **443**
northern blot analysis, Overexpression of activin A in stage IV colorectal cancer, **409**
notch, Identification of novel molecules and pathogenic pathways in primary biliary cirrhosis: cDNA array analysis of intrahepatic differential gene expression, **565**

octreotide, Effects of cisapride on gall bladder emptying, intestinal transit, and serum deoxycholate: a prospective, randomised, double blind, placebo controlled trial, **828**
Optimising the treatment of upper gastrointestinal fistulae, **22**
Pancreatic surgical complications—the case for prophylaxis, **32**
Role of somatostatin-14 and its analogues in the management of gastrointestinal fistulae: clinical data, **11**
oesophageal adenocarcinoma, The significance of *cagA*$^+$ *Helicobacter pylori* in reflux oesophagitis, **341**
oesophageal motility, Classification of oesophageal motility abnormalities: *review,* **145**
oesophageal motility abnormalities, Classification of oesophageal motility abnormalities: *review,* **145**
oesophageal neoplasms, The prognostic value of quality of life scores during treatment for oesophageal cancer, **227**
oesophageal pH monitoring, Temporal associations between coughing or wheezing and acid reflux in asthmatics, **767**
oesophagitis, Counting the cost of proton pump inhibitors: *commentary,* **462**
Inverse background of *Helicobacter pylori* antibody and pepsinogen in reflux oesophagitis compared with gastric cancer: analysis of 5732 Japanese subjects, **335**
H pylori: the bug is not all bad: *review,* **319**
The cost of long term therapy for gastro-oesophageal reflux disease: a randomised trial comparing omeprazole and open antireflux surgery, **488**
The significance of *cagA*$^+$ *Helicobacter pylori* in reflux oesophagitis, **341**
oesophagogastric junction, Prolonged measurement of lower oesophageal sphincter function in patients with intestinal metaplasia at the oesophagogastric junction, **354**
oesophagus, Classification of oesophageal motility abnormalities: *review,* **145**
Prolonged manometric recordings of oesophagus and lower oesophageal sphincter in achalasia patients, **813**
olsalazine, Olsalazine is not superior to placebo in maintaining remission of inactive Crohn's colitis and ileocolitis: a double blind, parallel, randomised, multicentre study, **552**
omeprazole, Counting the cost of proton pump inhibitors: *commentary,* **462**
Intravenous omeprazole after endoscopic treatment of bleeding peptic ulcers: *review,* **610**
The cost of long term therapy for gastro-oesophageal reflux disease: a randomised trial comparing omeprazole and open antireflux surgery, **488**
osteoporosis, Allelic variation at the interleukin 1β gene is associated with decreased bone mass in patients with inflammatory bowel diseases, **644**
Osteoporosis in primary biliary cirrhosis revisited, **282**
oxidative stress, Antiphospholipid antibodies associated with alcoholic liver disease specifically recognise oxidised phospholipids, **852**
Beyond acid suppressants in gastro-oesophageal reflux disease: *review,* **320**
Oxidative stress is more important than acid in the pathogenesis of reflux oesophagitis in rats, **364**
oxygen consumption, The cardiac response to exercise in cirrhosis, **268**

p53, Expression of the p53 homologue p63α and ΔNp63α in the neoplastic sequence of Barrett's oesophagus: correlation with morphology and p53 protein, **618**
p63, Expression of the p53 homologue p63α and ΔNp63α in the neoplastic sequence of Barrett's oesophagus: correlation with morphology and p53 protein, **618**
pancreas, Arginine induced acute pancreatitis alters the actin cytoskeleton and increases heat shock protein expression in rat pancreatic acinar cells, **241**
pancreatic cancer, Evaluation of the role of CFTR in alcohol related pancreatic disease: *letter,* **312**
Interferon γ inhibits growth of human pancreatic carcinoma cells via caspase-1 dependent induction of apoptosis, **251**
Risk of pancreatic cancer after cholecystectomy: a cohort study in Sweden, **678**
pancreatic fistulae, The relevance of gastrointestinal fistulae in clinical practice: a review, **2**
pancreatic islet cells, Induction of multiple autoantibodies to islet cell antigens during treatment with interferon alpha for chronic hepatitis C: *letter,* **596**
pancreatic surgery, Pancreatic surgical complications—the case for prophylaxis, **32**
pancreaticoduodenectomy, Pancreatic surgical complications—the case for prophylaxis, **32**
Role of somatostatin-14 and its analogues in the management of gastrointestinal fistulae: clinical data, **11**
paracellular pathway, Intestinal zonulin: open sesame!: *leader,* **159**
pathogenicity, Conservation of thecag pathogenicity island is associated withvacA alleles and gastroduodenal disease in South AfricanHelicobacter pylori isolates, **11**
peptic ulcer, Conservation of thecag pathogenicity island is associated withvacA alleles and gastroduodenal disease in South AfricanHelicobacter pylori isolates, **11**
Intravenous omeprazole after endoscopic treatment of bleeding peptic ulcers: *review,* **610**
peptic ulceration, Analysis of *iceA* genotypes in South African *Helicobacter pylori* strains and relationship to clinically significant disease, **629**
perception, Duodenal fat intensifies the perception of heartburn, **624**

perinuclear antineutrophil cytoplasmic antibody, High level perinuclear antineutrophil cytoplasmic antibody (pANCA) in ulcerative colitis patients before colectomy predicts the development of chronic pouchitis after ileal pouch-anal anastomosis, **671**
peripheral blood mononuclear cells, Gene expression of interleukin 18 in unstimulated peripheral blood mononuclear cells of patients with alcoholic cirrhosis, **106**
permeability, Acute gastrointestinal permeability responses to different non-steroidal anti-inflammatory drugs, **650**
pharmacotherapy, Role of somatostatin-14 and its analogues in the management of gastrointestinal fistulae: clinical data, **11**
poliovirus receptor, Overexpression of the *CD155* gene in human colorectal carcinoma, **236**
polymeric feeds, A randomised controlled trial of high versus low long chain triglyceride whole protein feed in active Crohn's disease, **790**
polymorphism, *SOX10* is abnormally expressed in aganglionic bowel of Hirschsprung's disease infants, **220**
polyp, Risks, costs, and compliance limit colorectal adenoma surveillance: lessons from a randomised trial, **91**
pooled analysis, Gastric cancer and *Helicobacter pylori*: a combined analysis of 12 case control studies nested within prospective cohorts, **347**
population sample, Low socioeconomic class is a risk factor for upper and lower gastrointestinal symptoms: a population based study in 15 000 Australian adults, **66**
portal branch ligation, After portal branch ligation in the rat, cellular proliferation in associated with selective induction of c-Ha-ras, p53, cyclin E, and Cdk2, **119**
portal hypertension, Drug therapy for portal hypertension: *review,* **441**
Improving prognosis following a first variceal haemorrhage over four decades, **682**
Life, death, and varices: *review,* **607**
portal tract, Jaundice in non-cirrhotic primary biliary cirrhosis: the premature ductopenic variant, **276**
portal vein obstruction, Extrahepatic portal vein thrombosis: aetiology and determinants of survival, **720**
possum, Inhibitory motor innervation of the gall bladder musculature by intrinsic neurones containing nitric oxide in the Australian Brush-tailed possum (*Trichosurus vulpecula*), **692**
post-immunisation gastritis, Post-immunisation gastritis and *Helicobacter* infection in the mouse: a long term study, **467**
postprandial, Effects of a motilin receptor agonist (ABT-229) on upper gastrointestinal symptoms in type 1 diabetes mellitus: a randomised, double blind, placebo controlled trial, **395**
pouchitis, High level perinuclear antineutrophil cytoplasmic antibody (pANCA) in ulcerative colitis patients before colectomy predicts the development of chronic pouchitis after ileal pouch-anal anastomosis, **671**
power spectrum analysis, Cardiac autonomic function and oesophageal acid sensitivity in patients with non-cardiac chest pain, **706**
preascitic cirrhosis, Sodium homeostasis with chronic sodium loading in preascitic cirrhosis, **847**
Sodium in preascitic cirrhosis: please pass the salt: *review,* **748**
prevalence, Duration of gluten exposure in adult coeliac disease does not correlate with the risk for autoimmune disorders, **502**
The external world of gluten and autoimmunity: *commentary,* **463**
primary biliary cirrhosis, Osteoporosis in primary biliary cirrhosis revisited, **282**
Primary biliary cirrhosis and primary sclerosing cholangitis are of infectious origin!: *letter,* **454**
primary prophylaxis, Improving prognosis following a first variceal haemorrhage over four decades, **682**
Life, death, and varices: *review,* **607**
primary sclerosing cholangitis, Identification of novel molecules and pathogenic pathways in primary biliary cirrhosis: cDNA array analysis of intrahepatic differential gene expression, **565**
Primary biliary cirrhosis and primary sclerosing cholangitis are of infectious origin!: *letter,* **454**
probiotics, Probiotics in Crohn's disease: *letter,* **873**
Probiotics in IBD: *letter,* **873**
prognosis, Improving prognosis following a first variceal haemorrhage over four decades, **682**
Life, death, and varices: *review,* **607**
The prognostic value of quality of life scores during treatment for oesophageal cancer, **227**
prokinetic, Effects of a motilin receptor agonist (ABT-229) on upper gastrointestinal symptoms in type 1 diabetes mellitus: a randomised, double blind, placebo controlled trial, **395**
prophylaxis, Pancreatic surgical complications—the case for prophylaxis, **32**
protein prediction, Analysis of *iceA* genotypes in South African *Helicobacter pylori* strains and relationship to clinically significant disease, **629**
proton pump inhibitor, Angiotensin converting enzyme inhibitors and angiotensin II antagonists as therapy in chronic liver disease: *review,* **303**
Counting the cost of proton pump inhibitors: *commentary,* **462**
Drug treatments in upper gastrointestinal bleeding: value of endoscopic findings as surrogate end points, **372**
Should we eradicate *Helicobacter pylori* before long term antireflux therapy?, **614**
Should we eradicate *Helicobacter pylori* before long term antireflux therapy?, **616**
pseudoaffective response, Intestinal inflammation and activation of sensory nerve pathways: a functional and morphological study in the nematode infected rat, **822**
psychological state, Descartes and the gut: "I'm pink therefore I am": *review,* **165**
Relationship between psychological state and level of activity of extrinsic gut innervation in patients with a functional gut disorder, **209**
pulmonary symptoms, Temporal associations between coughing or wheezing and acid reflux in asthmatics, **767**

quality of life, The prognostic value of quality of life scores during treatment for oesophageal cancer, **227**

rat, After portal branch ligation in the rat, cellular proliferation in associated with selective induction of c-Ha-ras, p53, cyclin E, and Cdk2, **119**
Arginine induced acute pancreatitis alters the actin cytoskeleton and increases heat shock protein expression in rat pancreatic acinar cells, **241**
Effects of cellular redox balance on induction of apoptosis by eicosapentaenoic acid in HT29 colorectal adenocarcinoma cells and rat colon in vivo, **97**
Erythropoietin acts as a trophic factor in neonatal rat intestine, **182**
Oxidative stress is more important than acid in the pathogenesis of reflux oesophagitis in rats, **364**
rectal mucosa, Increased rectal cell proliferation following alcohol abuse, **418**
red blood cells, Involvement of nerves and calcium channels in the intestinal response to *Clostridium difficile* toxin A: an experimental study in rats in vivo, **56**
redox, Effects of cellular redox balance on induction of apoptosis by eicosapentaenoic acid in HT29 colorectal adenocarcinoma cells and rat colon in vivo, **97**
reflux disease, Cardiac autonomic function and oesophageal acid sensitivity in patients with non-cardiac chest pain, **706**
reflux gastritis, Bile reflux gastritis and Barrett's oesophagus: further evidence of a role for duodenogastro-oesophageal reflux?, **359**
reflux oesophagitis, Beyond acid suppressants in gastro-oesophageal reflux disease: *review,* **320**
Helicobacter pylori infection prevents erosive reflux oesophagitis by decreasing gastric acid secretion, **330**
Oxidative stress is more important than acid in the pathogenesis of reflux oesophagitis in rats, **364**
refractory sprue, Frequency of clonal intraepithelial T lymphocyte proliferations in enteropathy-type intestinal T cell lymphoma, coeliac disease, and refractory sprue, **804**
relaxin, Relaxin inhibits effective collagen deposition by cultured hepatic stellate cells and decreases rat liver fibrosis in vivo, **577**
renal failure, The hepatorenal syndrome: *review,* **729**
renin, High arterial compliance in cirrhosis is related to low adrenaline and elevated circulating calcitonin gene related peptide but not to activated vasoconstrictor systems, **112**
renin-angiotensin-aldosterone system, Sodium homeostasis with chronic sodium loading in preascitic cirrhosis, **847**
Sodium in preascitic cirrhosis: please pass the salt: *review,* **748**
replication study, Ulcerative colitis is more strongly linked to chromosome 12 than Crohn's disease: *letter,* **311**
research, International gastroenterology research: subject areas, impact, and funding, **295**

Salmonella, *Escherichia coli* strains colonising the gastrointestinal tract protect germfree mice against *Salmonella typhimurium* infection, **47**
screening, Phenotypic expression of the HFE gene mutation (C282Y) among the hospitalised population: *letter,* **156**
sensory afferent neurones, Intestinal inflammation and activation of sensory nerve pathways: a functional and morphological study in the nematode infected rat, **822**
sequencing, Analysis of *iceA* genotypes in South African *Helicobacter pylori* strains and relationship to clinically significant disease, **629**
serum antibody, Serum antibody responses to *Clostridium difficile* toxin A: predictive and protective?: *review,* **167**
small bowel biopsy, Small bowel biopsies in patients with iron deficiency anaemia: *letter,* **595**
small intestinal bacterial overgrowth, Alcohol, obesity, and TNF-α: *letter,* **313**
Is coeliac disease a confounding factor in the diagnosis of NASH?: *letter,* **596**
small intestine, Acute gastrointestinal permeability responses to different non-steroidal anti-inflammatory drugs, **650**
Interleukin 2 modulates ion secretion and cell proliferation in cultured human small intestinal enterocytes, **636**
smoking, Recurrent diarrhoea and weight loss associated with cessation of smoking in a patient with undiagnosed coeliac disease: *review,* **588**

social class, Low socioeconomic class is a risk factor for upper and lower gastrointestinal symptoms: a population based study in 15 000 Australian adults, **66**
sodium handling, Sodium homeostasis with chronic sodium loading in preascitic cirrhosis, **847**
Sodium in preascitic cirrhosis: please pass the salt: *review,* **748**
somatostatin, Effect of somatostatin on the sphincter of Oddi in patients with acute non-biliary pancreatitis, **843**
somatostatin-14, Optimising the treatment of upper gastrointestinal fistulae, **22**
Pancreatic surgical complications—the case for prophylaxis, **32**
Role of somatostatin-14 and its analogues in the management of gastrointestinal fistulae: clinical data, **11**
South Africa, Analysis of *iceA* genotypes in South African *Helicobacter pylori* strains and relationship to clinically significant disease, **629**
SOX10, *SOX10* is abnormally expressed in aganglionic bowel of Hirschsprung's disease infants, **220**
sphincter of Oddi, Can endoscopic papillary balloon dilation really preserve sphincter of Oddi function?, **686**
Can endoscopic papillary balloon dilation really preserve sphincter of Oddi function?: *review,* **608**
Effect of somatostatin on the sphincter of Oddi in patients with acute non-biliary pancreatitis, **843**
SRE, *Helicobacter pylori* induced transactivation of SRE and AP-1 through the ERK signalling pathway in gastric cancer cells, **18**
stomach, Homing commitment of lymphocytes activated in the human gastric and intestinal mucosa, **519**
Human gastric B cell responses can be induced by intestinal immunisation, **512**
LI-cadherin: a marker of gastric metaplasia and neoplasia, **73**
The subtleties of intestinal metaplasia: *review,* **8**
stomach physiology, Perception of changes in wall tension of the proximal stomach in humans, **203**
sulphasalazine, Leucopenia resulting from a drug interaction between azathioprine or 6-mercaptopurine and mesalamine, sulphasalazine, or balsalazide, **656**
surface mucous gel layer, *Helicobacter pylori* and two ultrastructurally distinct layers of gastric mucous cell mucins in the surface mucous gel layer, **474**
surgery, Role of somatostatin-14 and its analogues in the management of gastrointestinal fistulae: clinical data, **11**
surveillance, Risks, costs, and compliance limit colorectal adenoma surveillance: lessons from a randomised trial, **91**
survival, Extrahepatic portal vein thrombosis: aetiology and determinants of survival, **720**
The prognostic value of quality of life scores during treatment for oesophageal cancer, **227**
sympathetic activity, Cardiac autonomic function and oesophageal acid sensitivity in patients with non-cardiac chest pain, **706**
symptoms, Low socioeconomic class is a risk factor for upper and lower gastrointestinal symptoms: a population based study in 15 000 Australian adults, **66**
systematic literature review, A systematic review of the staging performance of endoscopic ultrasound in gastro-oesophageal carcinoma, **534**
systemic vascular resistance, High arterial compliance in cirrhosis is related to low adrenaline and elevated circulating calcitonin gene related peptide but not to activated vasoconstrictor systems, **112**

T cell receptor gene rearrangement, Frequency of clonal intraepithelial T lymphocyte proliferations in enteropathy-type intestinal T cell lymphoma, coeliac disease, and refractory sprue, **804**
T cells, Decreased Bax expression by mucosal T cells favours resistance to apoptosis in Crohn's disease, **35**
Surviving too long in Crohn's disease: *review,* **6**
tachykinin peptides, Intestinal inflammation and activation of sensory nerve pathways: a functional and morphological study in the nematode infected rat, **822**
technology, Measurement of the stiffness of endoscopes—a plea for commonality: *letter,* **154**
Th1/Th2, Identification of novel molecules and pathogenic pathways in primary biliary cirrhosis: cDNA array analysis of intrahepatic differential gene expression, **565**
thioguanine metabolites, Why measure thiopurine methyltransferase activity? Direct administration of 6-thioguanine might be the alternative for 6-mercaptopurine or azathioprine: *letter,* **874**
thioguanine nucleotides, Measurement of thiopurine methyltransferase activity and azathioprine metabolites in patients with inflammatory bowel disease, **665**
thiopurine methyltransferase, Measurement of thiopurine methyltransferase activity and azathioprine metabolites in patients with inflammatory bowel disease, **665**
Why measure thiopurine methyltransferase activity? Direct administration of 6-thioguanine might be the alternative for 6-mercaptopurine or azathioprine: *letter,* **874**
third world, Getting our journals to developing countries: *editorial,* **1**
tight junction, Intestinal zonulin: open sesame!: *leader,* **159**
TNM staging, A systematic review of the staging performance of endoscopic ultrasound in gastro-oesophageal carcinoma, **534**
training, ERCP training: *letter,* **597**
The future of ERCP training in the UK: *letter,* **739**
tranexamic acid, Drug treatments in upper gastrointestinal bleeding: value of endoscopic findings as surrogate end points, **372**
transferrin saturation, Phenotypic expression of the HFE gene mutation (C282Y) among the hospitalised population : *letter,* **156**
transforming growth factor β, Loss of transforming growth factor β signalling in the intestine contributes to tissue injury in inflammatory bowel disease, **190**
Signals on the immune tract: *commentary,* **164**
transgenic mouse, MIP-2 secreted by epithelial cells increases neutrophil and lymphocyte recruitment in the mouse intestine, **526**
transient lower oesophageal sphincter relaxations, Prolonged measurement of lower oesophageal sphincter function in patients with intestinal metaplasia at the oesophagogastric junction, **354**
transjugular intrahepatic portosystemic shunt, Portal hypertensive gastropathy and gastric antral vascular ectasia (GAVE) syndrome: *review,* **866**
tumour necrosis factor, Association of the tumour necrosis factor α −308 but not the interleukin 10 −627 promoter polymorphism with genetic susceptibility to primary sclerosing cholangitis , **288**
tumour necrosis factor α, Alcohol, obesity, and TNF-α: *letter,* **313**
Is coeliac disease a confounding factor in the diagnosis of NASH?: *letter,* **596**
Measurement of tumour necrosis factor α: *letter,* **454**
type 1 diabetes, Effects of a motilin receptor agonist (ABT-229) on upper gastrointestinal symptoms in type 1 diabetes mellitus: a randomised, double blind, placebo controlled trial, **395**
type I collagen, Relaxin inhibits effective collagen deposition by cultured hepatic stellate cells and decreases rat liver fibrosis in vivo, **577**

ulcer, Drug treatments in upper gastrointestinal bleeding: value of endoscopic findings as surrogate end points, **372**
ulcer associated cell lineage, Mucin gene expression in intestinal epithelial cells in Crohn's disease, **544**
ulcer healing, Cyclooxygenase 2—implications on maintenance of gastric mucosal integrity and ulcer healing: controversial issues and perspectives: *review,* **443**
ulcerative colitis, Allelic variation at the interleukin 1β gene is associated with decreased bone mass in patients with inflammatory bowel diseases, **644**
Decreased Bax expression by mucosal T cells favours resistance to apoptosis in Crohn's disease, **35**
Diagnostic misclassification reduces the ability to detect linkage in inflammatory bowel disease genetic studies, **773**
Expression of nitric oxide synthases and effects of l-arginine and l-NMMA on nitric oxide production and fluid transport in collagenous colitis, **387**
High level perinuclear antineutrophil cytoplasmic antibody (pANCA) in ulcerative colitis patients before colectomy predicts the development of chronic pouchitis after ileal pouch-anal anastomosis, **671**
Low dose balsalazide (1.5 g twice daily) and mesalazine (0.5 g three times daily) maintained remission of ulcerative colitis but high dose balsalazide (3.0 g twice daily) was superior in preventing relapses, **783**
Surviving too long in Crohn's disease: *review,* **6**
Ulcerative colitis extent varies with time but endoscopic appearances may be deceptive: *review,* **322**
ultrasound, Liver biopsy: "blind" or under ultrasound control: *letter,* **157**
Liver biopsy: "blind" or under ultrasound control: *letter,* **157**
upper gastrointestinal bleeding, Drug treatments in upper gastrointestinal bleeding: value of endoscopic findings as surrogate end points, **372**

vaccine, Human gastric B cell responses can be induced by intestinal immunisation, **512**
vacuolating cytotoxin, Conservation of thecag pathogenicity island is associated withvacA alleles and gastroduodenal disease in South AfricanHelicobacter pylori isolates, **11**
vagal response, Cardiac autonomic function and oesophageal acid sensitivity in patients with non-cardiac chest pain, **706**
variant syndromes, Autoimmune hepatitis and its variant syndromes: *review,* **589**
variceal bleeding, Drug therapy for portal hypertension: *review,* **441**
Improving prognosis following a first variceal haemorrhage over four decades, **682**
Life, death, and varices: *review,* **607**
Vienna classification, Behaviour of Crohn's disease according to the Vienna classification: changing pattern over the course of the disease, **777**
visceral hypersensitivity, Perception of changes in wall tension of the proximal stomach in humans, **203**

wall tension, Perception of changes in wall tension of the proximal stomach in humans, **203**

watermelon stomach, Portal hypertensive gastropathy and gastric antral vascular ectasia (GAVE) syndrome: *review,* **866**

weight loss, Recurrent diarrhoea and weight loss associated with cessation of smoking in a patient with undiagnosed coeliac disease: *review,* **588**

Wnt, Identification of novel molecules and pathogenic pathways in primary biliary cirrhosis: cDNA array analysis of intrahepatic differential gene expression, **565**

world wide web, Getting our journals to developing countries: *editorial,* **1**

zonula occludens toxin, Intestinal zonulin: open sesame!: *leader,* **159**

zonulin, Intestinal zonulin: open sesame!: *leader,* **159**